

default 19:33:47.565821 +0100 mediaserverd [0xE693]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 19:33:47.566154 +0100 mediaserverd [0xE693] Dissociating endpoint
'dCS Bartók DAC'...
default 19:33:47.566865 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=dCS Bartók DAC, supportedFeatures=audio
[2] Endpoint=A7_056476, supportedFeatures=audio
default 19:33:47.567852 +0100 mediaserverd [0xE693]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
errore 19:46:20.508825 +0100 mediaserverd ### Ignoring device found
without pairing ID: 149805416438400, 'dCS Bartók DAC'
default 19:46:20.511291 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints are newly available
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=dCS Bartók DAC, supportedFeatures=audio
default 19:46:31.203418 +0100 mediaserverd [0xBDA8]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 19:46:31.209384 +0100 mediaserverd [0xBDA8] Dissociating
endpoint 'dCS Bartók DAC'...
default 19:46:31.210595 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=dCS Bartók DAC, supportedFeatures=audio
[2] Endpoint=A7_056476, supportedFeatures=audio
default 19:46:31.212970 +0100 mediaserverd [0xBDA8]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 19:46:37.278722 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints are newly available
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=A7_056476, supportedFeatures=audio
[2] Endpoint=dCS Bartók DAC, supportedFeatures=audio
default 19:46:42.725865 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=A7_056476, supportedFeatures=audio
[2] Endpoint=dCS Bartók DAC, supportedFeatures=audio
default 19:53:40.879961 +0100 mediaserverd -FigRouteDiscoverer-
discoverer_logAvailableRouteNames: Available routes for
clientName=mediaremoted, discovererType=Audio: [0].Altoparlante [1].Apple TV
[2].A7_056476 [3].dCS Bartók DAC
default 19:53:44.366904 +0100 mediaserverd [0x557E]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 19:53:44.367005 +0100 mediaserverd [0x557E] Dissociating endpoint
'dCS Bartók DAC'...
default 19:53:44.367600 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=A7_056476, supportedFeatures=audio

[2] Endpoint=dCS Bartók DAC, supportedFeatures=audio
default 19:53:44.367922 +0100 mediaserverd [0x557E]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 20:04:59.167550 +0100 mediaserverd [0x7FC8]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 20:04:59.167652 +0100 mediaserverd [0x7FC8] Dissociating endpoint
'dCS Bartók DAC'...
default 20:04:59.168031 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=dCS Bartók DAC, supportedFeatures=audio
[2] Endpoint=A7_056476, supportedFeatures=audio
default 20:04:59.169566 +0100 mediaserverd [0x7FC8]
endpoint_clearEndpointState id:88:3F:4A:A1:DA:80 name:dCS Bartók DAC
default 20:06:00.418975 +0100 mDNSResponder [R60947->Q46377]
getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: 'uqC3DCsHT8YvdNh/
wuPjPQ==>', type: A, rdata: <mask.hash: 'd3fgmflr9dPi8j1FfBAtrw==>' (immortal)
default 20:06:00.419258 +0100 mDNSResponder [R60947->Q46377]
getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: 'uqC3DCsHT8YvdNh/
wuPjPQ==>', type: A, rdata: <mask.hash: 'CmrlJ8JU6xVgs1zqy3SWtQ==>'
(immortal)
default 20:06:00.419318 +0100 mDNSResponder [R60947->Q46377]
getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: 'uqC3DCsHT8YvdNh/
wuPjPQ==>', type: A, rdata: <mask.hash: '/HFkICRHHqCK61efUozhmA==>'
(immortal)
default 20:06:00.515431 +0100 mDNSResponder [R60947->Q48104]
getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: 'uqC3DCsHT8YvdNh/
wuPjPQ==>', type: HTTPS, rdata: <none> (mortal)
default 21:14:59.419047 +0100 searchd Requested application
uk.co.dcsLtd.remote has policy OK, associated category:DH1011 associated sites:
(null) equivalent bundle identifiers:uk.co.dcsLtd.remote
default 08:25:35.330817 +0100 duetexpertd Requested application
uk.co.dcsLtd.remote has policy OK, associated category:DH1011 associated sites:
(null) equivalent bundle identifiers:uk.co.dcsLtd.remote
default 17:10:01.498645 +0100 SpringBoard Creating process for
executionContext with identity: application<uk.co.dcsLtd.remote>
default 17:10:01.498729 +0100 SpringBoard Created <FBWorkspace:
0x281ca67e0; application<uk.co.dcsLtd.remote>>
default 17:10:01.498973 +0100 SpringBoard Bootstrapping
application<uk.co.dcsLtd.remote> with intent foreground-interactive
default 17:10:01.510751 +0100 runningboardd Acquiring assertion targeting
application<uk.co.dcsLtd.remote> from originator [daemon<com.apple.SpringBoard>:
12862] with description <RBSAssertionDescriptorI "FBApplicationProcess" ID:
34-12862-262496 target:application<uk.co.dcsLtd.remote> attributes:[
<RBSRunningReasonAttributeI runningReason:10000>,
<RBSPreventIdleSleepGrant>,
<RBSDefineRelativeStartTimeGrant>,
<RBSGPUAccessGrant>,
<RBSCPUAccessGrantI role:UserInteractiveNonFocal>,
<RBSJetsamPriorityGrantI priority:Foreground>,

```
<RBSResistTerminationGrantI terminationResistance:Interactive>,
<RBSEndowmentGrantI namespace:com.apple.frontboard.visibility>
]>
default 17:10:01.510870 +0100 runningboardd Assertion 34-12862-262496
(target:application<uk.co.dcsLtd.remote>) will be created as active
default 17:10:01.511111 +0100 runningboardd Executing launch request for
application<uk.co.dcsLtd.remote> (FBApplicationProcess)
default 17:10:01.511279 +0100 runningboardd Creating and launching job for:
application<uk.co.dcsLtd.remote>
default 17:10:01.511327 +0100 runningboardd _mutateContextIfNeeded
called for uk.co.dcsLtd.remote
default 17:10:01.511729 +0100 runningboardd Inserting mach service
uk.co.dcsLtd.remote.gsEvents into job for application<uk.co.dcsLtd.remote>
default 17:10:01.512043 +0100 runningboardd Finished acquiring assertion
34-12862-262496 (target:application<uk.co.dcsLtd.remote>)
default 17:10:01.512540 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default will begin transition to visible YES
default 17:10:01.514584 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] This process will be managed.
default 17:10:01.514723 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] HOME is <private>
default 17:10:01.514788 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] TMPDIR is <private>
default 17:10:01.515027 +0100 runningboardd Now tracking process:
[application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.515127 +0100 runningboardd Using default underlying
assertion for app: [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.515177 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:01.515301 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI
"RB Underlying Assertion" ID:34-34-262497 target:14414 attributes:[
  <RBSDomainAttributel domain:"com.apple.underlying"
name:"defaultUnderlyingAppAssertion" sourceEnvironment:"(null)">,
  <RBSAcquisitionCompletionAttributel policy:AfterApplication>
]>
default 17:10:01.515553 +0100 runningboardd Assertion 34-34-262497
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as active
default 17:10:01.516475 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Set jetsam priority to 10 [0] flag[1]
default 17:10:01.516609 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Resuming task.
default 17:10:01.517559 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Bootstrap success!
default 17:10:01.517770 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Set darwin role to:
UserInteractiveNonFocal
default 17:10:01.517869 +0100 runningboardd
```

[application<uk.co.dcsLtd.remote>:14414] Set GPU priority to "allow"
default 17:10:01.518480 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:01.520145 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] reported to RB as running
default 17:10:01.522911 +0100 SpringBoard Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.524000 +0100 mediaserverd <<<<
FigCaptureDisplayLayoutMonitor >>>> -[FigCaptureDisplayLayoutMonitor
_updateCurrentLayout:]: <FBSDisplayLayout: 0x143a5ab80; displayIdentity: Main>
{ bounds = {{0, 0}, {375, 667}}; interfaceOrientation = "portrait (1)";
backlightLevel = 100; elements = { <SBSDisplayLayoutElement: 0x1415f8430;
bundleID: uk.co.dcsLtd.remote; identifier: sceneID:uk.co.dcsLtd.remote-default; frame:
{{0, 0}, {375, 667}}; level: 1; role: primary>; } timestamp = 17 febbraio 2021
17:10:01 CET;}
default 17:10:01.524083 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Setting process task state to: Running
default 17:10:01.524198 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Setting process visibility to: Foreground
default 17:10:01.524796 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Registering event dispatcher at connect
default 17:10:01.525328 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Initial launch assertion state:
ForegroundActive.
default 17:10:01.525584 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Not creating workspace endpoint injector.
default 17:10:01.526179 +0100 CarPlay Hit the server for a process handle
16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.526690 +0100 SpringBoard Adding:
<FBApplicationProcess: 0x100c8ed70; application<uk.co.dcsLtd.remote>:
14414(vA3F6)>
default 17:10:01.526832 +0100 SpringBoard Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.527732 +0100 runningboardd Finished acquiring assertion
34-34-262497 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:01.527772 +0100 runningboardd Successfully acquired
underlying assertion for [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.528206 +0100 mediaserverd Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.528757 +0100 SpringBoard change foreground process
from list:<FBApplicationProcess: 0x100c8ed70; application<uk.co.dcsLtd.remote>:
14414(vA3F6)>
default 17:10:01.528898 +0100 powerd Process runningboardd.34 Created
SystemIsActive "application<uk.co.dcsLtd.remote>;(null):(null);
34-12862-262496:FBApplicationProcess" age:00:00:00 id:51539643152 [System:
SysAct]
default 17:10:01.528966 +0100 SpringBoard [Main] dispatch event:

```
<SBInsertionSwitcherModifierEvent: 0x2826e68b0; type: Insertion; intoIndex: 0;
phase: DidUpdateModel; appLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>>
default 17:10:01.532962 +0100 mediaserverd -CMSSessionMgr-
CMSSessionMgrHandleApplicationStateChange: Client uk.co.dcsLtd.remote with pid
'14414' is now Foreground Running. Background entitlement: NO
ActiveLongFormVideoSession: NO WhitelistedLongFormVideoApp NO
default 17:10:01.533186 +0100 mediaserverd -CMSSessionMgr-
CMSSessionMgrHandleApplicationStateChange: Sending EndInterruption to
uk.co.dcsLtd.remote with pid '14414' because client moved to ForegroundRunning
and is not allowed to play in the background
default 17:10:01.536002 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x2810e7c20; type: MainTransition;
transitionID: 91B144E3-33A8-4210-8E8C-88CAF10430C0; phase: Prepare;
animated: YES; fromAppLayout: 0x0; toAppLayout: <SBAppLayout: 0x28317ca40;
primary: uk.co.dcsLtd.remote; environment: main>; fromEnvironmentMode: home-
screen; toEnvironmentMode: application; pendingTermination: {(
)}>
default 17:10:01.539626 +0100 SpringBoard [Main] handle response:
<SBSwitcherModifierEventResponse: 0x282631e00> {
  <SBSwitcherModifierEventResponse: 0x2826c8630> {
    <SBTimerEventSwitcherEventResponse: 0x2826e6280; delay: 0.300000;
reason: kSBTransitionModifierInvalidateAsyncRenderingReason>;
    <SBInvalidateAdjustedAppLayoutsSwitcherEventResponse: 0x2826cfcf0>;
  };
  <SBSwitcherModifierEventResponse: 0x2825df3c0> {
    <SBUpdateLayoutSwitcherEventResponse: 0x2831ef840;
layoutImmediately; layout; style; mode: None>;
    <SBRequestFolderSnapshotsSwitcherEventResponse: 0x2825cd860;
snapshotRequested: YES>;
    <SBIconOverlayVisibilitySwitcherEventResponse: 0x2831ed880; visible:
YES; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
    <SBIconViewVisibilitySwitcherEventResponse: 0x2808792c0; visible: NO;
animationSettings: 0x0; appLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>>;
    <SBTimerEventSwitcherEventResponse: 0x2824f49c0; delay: 0.300000;
reason: kSBIconZoo
default 17:10:01.540920 +0100 SpringBoard [uk.co.dcsLtd.remote]
Foreground app will not request ephemeral notifications isAppClip: NO
wantsEphemeral notifications: NO
default 17:10:01.547817 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x2850a7190; type: MainTransition;
transitionID: 91B144E3-33A8-4210-8E8C-88CAF10430C0; phase: Animate;
animated: YES; fromAppLayout: 0x0; toAppLayout: <SBAppLayout: 0x28317ca40;
primary: uk.co.dcsLtd.remote; environment: main>; fromEnvironmentMode: home-
screen; toEnvironmentMode: application; pendingTermination: {(
)}>
default 17:10:01.558009 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Registered new scene:
```

<FBUIApplicationWorkspaceScene: 0x281ca7180; sceneID:uk.co.dcsLtd.remote-default> (fromRemnant = 0)
default 17:10:01.558139 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Workspace interruption policy did change: terminate
default 17:10:01.558220 +0100 SpringBoard Now tracking: <FBScene: 0x281ca48f0; sceneID: sceneID:uk.co.dcsLtd.remote-default; valid: YES>
default 17:10:01.558263 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-default] Setting deactivation reasons to: 'systemAnimation' for reason: scene settings update - settings are eligible for deactivation reasons.
default 17:10:01.559739 +0100 runningboardd Acquiring assertion targeting [application<uk.co.dcsLtd.remote>:14414] from originator [daemon<com.apple.SpringBoard>:12862] with description <RBSAssertionDescriptorl "com.apple.frontboard.after-life.subordinate" ID: 34-12862-262499 target:14414 attributes:[<RBSSubordinateProcessAttribute>]>
default 17:10:01.560036 +0100 runningboardd Assertion 34-12862-262499 (target:[application<uk.co.dcsLtd.remote>:14414]) will be created as active
default 17:10:01.561285 +0100 runningboardd Calculated state for application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:01.562561 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-default] Scene lifecycle state did change: Foreground
default 17:10:01.599472 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-default] Scene assertion state did change: ForegroundActive.
default 17:10:01.599987 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Launch assertion supersedes update of workspace assertion to ForegroundActive.
default 17:10:01.600133 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Workspace assertion state did change: ForegroundActive (acquireAssertion = NO).
default 17:10:01.601086 +0100 runningboardd Finished acquiring assertion 34-12862-262499 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:01.603424 +0100 SpringBoard [uk.co.dcsLtd.remote] uk.co.dcsLtd.remote application state changed to ForegroundRunning
default 17:10:01.603685 +0100 SpringBoard [uk.co.dcsLtd.remote] Ignore becoming foreground for application without push registration
default 17:10:01.633594 +0100 contextstored Hit the server for a process handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>: 14414]
default 17:10:01.640474 +0100 SpringBoard Application process state changed for uk.co.dcsLtd.remote: <SBApplicationProcessState: 0x282a48f80; pid: 14414; taskState: Running; visibility: Foreground>
default 17:10:01.641207 +0100 SpringBoard Application process state changed for uk.co.dcsLtd.remote: <SBApplicationProcessState: 0x282a4af40; pid: 14414; taskState: Running; visibility: Foreground>
default 17:10:01.641246 +0100 SpringBoard
didSelectKeyboardFocusProcess:<FBApplicationProcess: 0x100c8ed70; application<uk.co.dcsLtd.remote>:14414(vA3F6)> token:(null)
default 17:10:01.667697 +0100 locationd Hit the server for a process handle

16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.678769 +0100 locationd {"msg":"#CLIUA Marking change",
"clientKey":"uk.co.dcsLtd.remote", "reason":"Process state from RunningBoard",
"assertionLevel":5, "coming":1}
default 17:10:01.679359 +0100 accessoryd Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.680929 +0100 accessoryd Posting application state
change {
ACCPlatformApplicationStateDisplayIDKey = "uk.co.dcsLtd.remote";
ACCPlatformApplicationStateKey = 8;
ACCPlatformApplicationStateProcessIDKey = 14414;
}
default 17:10:01.681020 +0100 accessoryd handling app state change
notification {
ACCPlatformApplicationStateDisplayIDKey = "uk.co.dcsLtd.remote";
ACCPlatformApplicationStateKey = 8;
ACCPlatformApplicationStateProcessIDKey = 14414;
}
default 17:10:01.681157 +0100 backboardd Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.682906 +0100 symptomsd Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.683001 +0100 watchdogd Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.683748 +0100 wifid Hit the server for a process handle
16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.687924 +0100 UserEventAgent Hit the server for a
process handle 16a4317e0000384e that resolved to:
[application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.688696 +0100 aggregated Hit the server for a process
handle 16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:
14414]
default 17:10:01.689623 +0100 kbd Hit the server for a process handle
16a4317e0000384e that resolved to: [application<uk.co.dcsLtd.remote>:14414]
default 17:10:01.697104 +0100 chronod noting foreground launch for
uk.co.dcsLtd.remote with widget extension; trigger metadata query
default 17:10:01.711608 +0100 symptomsd uk.co.dcsLtd.remote:
Foreground: true
default 17:10:01.711727 +0100 wifid -[WiFiUsageApplicationSession
applicationStateDidChange:withAttributes:]: application session
started:uk.co.dcsLtd.remote
default 17:10:01.827252 +0100 runningboardd Setting client for
[application<uk.co.dcsLtd.remote>:14414] as ready
default 17:10:01.828381 +0100 Runner Identity resolved as
application<uk.co.dcsLtd.remote>
default 17:10:01.828866 +0100 backboardd Connection added:

IOHIDEventSystemConnection uuid:95C02B74-AF72-4D5F-8D6A-9C1CFEB528EB
pid:14414 process:Runner type:Passive entitlements:0x0 caller:BackBoardServices:
<redacted> + 284 attributes:{
 HighFrequency = 0;
 bundleID = "uk.co.dcsLtd.remote";
 pid = 14414;
} state:0x0 events:0 mask:0x0
default 17:10:01.829522 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Connection established.
default 17:10:01.829779 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Connection to remote process established!
default 17:10:01.832018 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Sending scene action [Logical Activate][0x3697] to process 0x100c8ed70
default 17:10:01.833538 +0100 SpringBoard Application process state
changed for uk.co.dcsLtd.remote: <SBApplicationProcessState: 0x282a6e260; pid:
14414; taskState: Running; visibility: Foreground>
default 17:10:01.851546 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptor!
"Shared Background Assertion 0 for uk.co.dcsLtd.remote" ID:34-14414-262500
target:14414 attributes:[
 <RBSLegacyAttribute! requestedReason:FinishTask reason:FinishTask flags:
(PreventTaskSuspend)>,
 <RBSAcquisitionCompletionAttribute! policy:AfterValidation>
]>
default 17:10:01.851779 +0100 runningboardd Assertion 34-14414-262500
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-
time-defining assertions exist
default 17:10:01.852742 +0100 runningboardd Finished acquiring assertion
34-14414-262500 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:01.856953 +0100 SpringBoard Updating configuration of
monitor <RBSProcessMonitorConfiguration! id:M12862-7 qos:25 predicates:
[<RBSProcessPredicate <RBSCompoundPredicate [<RBSCompoundPredicate
[<RBSProcessBKSLegacyPredicate>, <RBSProcessEUIDPredicate 501>]>],
<RBSProcessBundleIdentifierPredicate "com.apple.springboard">]>>,
<RBSProcessPredicate <RBSCompoundPredicate [<RBSCompoundPredicate
[<RBSProcessBKSLegacyPredicate>, <RBSProcessEUIDPredicate 501>]>],
<RBSProcessBundleIdentifierPredicate "uk.co.dcsLtd.remote">]>>]
descriptor:<RBSProcessStateDescriptor! values:9 namespaces:
[com.apple.frontboard.visibility]> events:0x0>
default 17:10:01.859098 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Setting deactivation reasons to: '(none)' for reason:
updateAllScenesForBand - Assertion removed.
default 17:10:01.880143 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptor!
"com.apple.CFNetwork.StorageDB" ID:34-14414-262501 target:14414 attributes:[
 <RBSDomainAttribute! domain:"com.apple.common"
name:"FinishTaskUninterruptable" sourceEnvironment:"(null)">,
 <RBSAcquisitionCompletionAttribute! policy:AfterApplication>

```

]>
default 17:10:01.880430 +0100 runningboardd Assertion 34-14414-262501
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-
time-defining assertions exist
default 17:10:01.880855 +0100 runningboardd Finished acquiring assertion
34-14414-262501 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:01.930587 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13365717/776331, WiFi delta_in/delta_out: 136/79,
Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:10:01.968391 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13365812/776410, WiFi delta_in/delta_out: 95/79,
Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:10:02.105967 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x28106bcf0; type: MainTransition;
transitionID: 91B144E3-33A8-4210-8E8C-88CAF10430C0; phase: Complete;
animated: YES; fromAppLayout: 0x0; toAppLayout: <SBAppLayout: 0x28317ca40;
primary: uk.co.dcsLtd.remote; environment: main>; fromEnvironmentMode: home-
screen; toEnvironmentMode: application; pendingTermination: {(
)}>
default 17:10:02.106570 +0100 SpringBoard [Main] handle response:
<SBSwitcherModifierEventResponse: 0x2826706f0> {
  <SBPreemptAnimationSwitcherEventResponse: 0x282670f90>;
  <SBSwitcherModifierEventResponse: 0x282673480> {
    <SBInvalidateAdjustedAppLayoutsSwitcherEventResponse: 0x282670150>;
    <SBSwitcherModifierEventResponse: 0x282671290> {
      <SBRequestFolderSnapshotsSwitcherEventResponse: 0x282671b00;
snapshotRequested: NO>;
      <SBIconOverlayVisibilitySwitcherEventResponse: 0x283e40a80;
visible: NO; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
      <SBIconViewVisibilitySwitcherEventResponse: 0x280b2dc70; visible:
YES; animationSettings: 0x0; appLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>>;
      <SBMatchMoveToIconViewSwitcherEventResponse: 0x283e46b00;
active: NO; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
    };
  };
}
default 17:10:02.317422 +0100 appstored <StoreKitClient: 0x102e2eac0>:
Client initialized with bundle ID uk.co.dcsLtd.remote and request bundle ID
uk.co.dcsLtd.remote
default 17:10:02.318761 +0100 appstored [IAPAE33251A/uk.co.dcsLtd.remote:
1] Starting server purchase queue check
default 17:10:02.321963 +0100 appstored StoreKitServiceConnection(14414):
Clearing all purchase intents for bundle identifier uk.co.dcsLtd.remote
default 17:10:02.328184 +0100 SpringBoard change foreground process
from KeyboardArbiter:<FBApplicationProcess: 0x100c8ed70;
application<uk.co.dcsLtd.remote>:14414(vA3F6)>
default 17:10:02.329297 +0100 SpringBoard

```

```
didSelectKeyboardFocusProcess:<FBApplicationProcess: 0x100c8ed70;
application<uk.co.dcsLtd.remote>:14414(vA3F6)>
token:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-
default
default 17:10:02.329346 +0100 SpringBoard
updateKeyboardFocusDeferringRules: app focus pid:14414
token:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-
default
default 17:10:02.341635 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Scene action [Logical Activate][0x3697] completed with success: 1
default 17:10:02.351996 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414]
(UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remot
e-default) from originator [daemon<com.apple.SpringBoard>:12862] with description
<RBSAssertionDescriptorl "injecting inherited from
"UIScene:com.apple.frontboard.systemappservices::com.apple.springboard" to
14414<UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.
remote-default>" ID:34-12862-262502 target:
14414<UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.
remote-default> attributes:[
    <RBSHereditaryGrantl
endowmentNamespace:com.apple.boardservices.endpoint-injection
UIScene:com.apple.frontboard.systemappservices::com.apple.springboard>,
    <RBSHereditaryGrantl endowmentNamespace:com.apple.frontboard.visibility
UIScene:com.apple.frontboard.systemappservices::com.apple.springboard>
]>
default 17:10:02.352128 +0100 runningboardd Assertion 34-12862-262502
(target:[application<uk.co.dcsLtd.remote>:14414]
(UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remot
e-default)) will be created as active
default 17:10:02.355071 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:02.356607 +0100 runningboardd Finished acquiring assertion
34-12862-262502 (target:[application<uk.co.dcsLtd.remote>:14414]
(UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remot
e-default))
default 17:10:02.372001 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default did end transition to visible YES
default 17:10:02.372045 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default
shouldDisplayLayoutElementBecomeActive=YES because
isEffectivelyForeground=YES isSuspendedUnderLock=NO
sceneIfExists=<FBScene: 0x281ca48f0; sceneID: sceneID:uk.co.dcsLtd.remote-
default; valid: YES>
default 17:10:02.372087 +0100 SpringBoard
sceneHandle=<SBDeviceApplicationSceneHandle: 0x1043a1de0; sceneID:
sceneID:uk.co.dcsLtd.remote-default; scenePointer: 0x281ca48f0; scene: <FBScene:
0x281ca48f0; sceneID: sceneID:uk.co.dcsLtd.remote-default; valid: YES> {
```

```

specification = UIApplicationSceneSpecification;
settings = <UIApplicationSceneSettings: 0x2805eb380> {
    displayConfiguration = "<FBSDisplayConfiguration: 0x2812b4460; Main; mode:
"375x667@2x 60Hz p3 SDR">";
    frame = {{0, 0}, {375, 667}};
    level = 1.0;
    interfaceOrientation = portrait (1);
    foreground = YES;
    interruptionPolicy = default;
    isOccluded = BSSettingFlagNotSet;
    otherSettings = <BSSettings: 0x282a03c20> {
        statusBarStyleOverridesToSuppress = (none);
        deactivationReasons = ;
        deviceOrientationEventsEnabled = YES;
        canShowAlerts = YES;
        userInterfaceStyle = light;
        peripheryInsets = UIEdgeInsets: {0, 0, 0, 0};
        deviceOrientation = portrait (1);
default 17:10:02.377991 +0100 SpringBoard Front display did change:
<SBApplication: 0x2810935a0; uk.co.dcsLtd.remote>
default 17:10:02.379908 +0100 backboardd new deferring rules for pid:
12862: [
    <environment: system> -> <pid: 12862; token: 0xF7F497E1> reason: "1-
deferDiscrete: systemGestures",
    <environment: keyboardFocus; display: builtin> -> <pid: 12862; token:
0x16CDB680> reason: "1698-deferDiscrete: Key Window event focus deferral",
    <environment: keyboardFocus; display: builtin> -> <pid: 14414; token:
com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-default>
reason: "1701-deferDiscrete: SpringBoardToApp",
    <environment: keyboardFocus; display: builtin; token: 0x16CDB680> -> <pid:
14414; token:
com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-default>
reason: "1702-deferDiscrete: SpringBoardToAppCompatibility"
]
default 17:10:02.387339 +0100 appstored AMSURLRequestEncoder:
[IAPAE33251A/uk.co.dcsLtd.remote:1] Encoding request for URL: https://
inappcheck.itunes.apple.com/WebObjects/MZFastFinance.woa/wa/
inAppCheckDownloadQueue {
    account = <ACAccount: 0x102e0b520 type = iTunesStore | backingID =
1265C885-0587-47D6-BE2C-B399CB883244 | username = drdonati@mail.com |
altDSID = 000180-10-c84da86c-bafb-4731-b03b-2adaa3d18205 | DSID = 72309671
| active = true | storefront = 143450-7,29>
    mediaType = (null)
}
default 17:10:02.416798 +0100 runningboardd Invalidating assertion
34-14414-262500 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator
[application<uk.co.dcsLtd.remote>:14414]
default 17:10:02.416870 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13365893/776475, WiFi delta_in/delta_out: 81/65,
Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0

```

default 17:10:02.441433 +0100 runningboardd Acquiring assertion targeting [application<uk.co.dcsLtd.remote>:14414] from originator [application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI "Shared Background Assertion 1 for uk.co.dcsLtd.remote" ID:34-14414-262503 target:14414 attributes:[<RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags:(PreventTaskSuspend)>,<RBSAcquisitionCompletionAttributeI policy:AfterValidation>]>

default 17:10:02.441517 +0100 runningboardd Assertion 34-14414-262503 (target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-time-defining assertions exist

default 17:10:02.442129 +0100 runningboardd Finished acquiring assertion 34-14414-262503 (target:[application<uk.co.dcsLtd.remote>:14414])

default 17:10:02.445988 +0100 runningboardd Invalidating assertion 34-14414-262503 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [application<uk.co.dcsLtd.remote>:14414]

default 17:10:02.447207 +0100 Runner flutter: \^[31m2021-02-17 17:10:02.413608: DCSRemote: SHOUT: New state: AppLifecycleState.resumed<...>

default 17:10:02.448878 +0100 Runner flutter: \^[31m2021-02-17 17:10:02.415947: DCSRemote: SHOUT: New state: AppLifecycleState.resumed<...>

default 17:10:02.457262 +0100 Runner flutter: 2021-02-17 17:10:02.416366: DCSRemote: INFO: Started with URI link: null

default 17:10:02.458183 +0100 Runner flutter: 2021-02-17 17:10:02.416909: DeviceSelectionPage: INFO: lastActiveDevice: {"name":"dCS Bartók DAC","uuid":"dcs-bartok-883f4aa1da80","id":"0","ip":"192.168.178.160","mdnsName":"dcs-bartok-883f4aa1da80"}

default 17:10:02.469230 +0100 appstored AMSMescal: [IAPAE33251A/uk.co.dcsLtd.remote:1] Skipping mescal - unable to locate data to sign

default 17:10:02.469284 +0100 appstored AMSURLSession: [IAPAE33251A/uk.co.dcsLtd.remote:1] Preparing request: <AMSURLRequest: 0x100d550a0> { URL: https://inappcheck.itunes.apple.com/WebObjects/MZFastFinance.woa/wa/inAppCheckDownloadQueue?guid=34e5934a66910a09ae3628fa1c8e04bcee703c6b }

default 17:10:02.469469 +0100 appstored AMSURLSession: [IAPAE33251A/uk.co.dcsLtd.remote:1] Task created: LocalDataTask <0EF4B85A-D53F-4F29-8283-C508B5AE0D2C>.<1> Session: <__NSURLSessionLocal: 0x102e1a9c0>

default 17:10:02.479096 +0100 appstored [C93 C7096552-D536-42EF-BEBF-F957FA38852E Hostname#a0b62430:443 tcp, bundle id: uk.co.dcsLtd.remote, url hash: 0c32cb54, tls, context: com.apple.CFNetwork.NSURLSession.{9DE31FEA-DD22-41D7-9F02-8F47761ABFB0}{AMP}{Y}{2}, proc: C5E6277C-0503-3485-BABD-65F32EE70815, effective proc: 8453E971-2F8D-3492-843B-BD1C5E14FA4C, no cellular fallback] start

default 17:10:02.506422 +0100 symptomsd Data Usage for uk.co.dcsLtd.remote - WiFi in/out: 13365893/776565, WiFi delta_in/delta_out: 0/90, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0

default 17:10:02.518085 +0100 symptomsd Data Usage for uk.co.dcsLtd.remote - WiFi in/out: 13366032/776640, WiFi delta_in/delta_out: 139/75, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0

default 17:10:02.890095 +0100 runningboardd Invalidating assertion 34-14414-262501 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [application<uk.co.dcsLtd.remote>:14414]

default 17:10:02.920337 +0100 SpringBoard [application<uk.co.dcsLtd.remote>:14414] Now acquiring workspace assertion with state: ForegroundActive.

default 17:10:02.923094 +0100 runningboardd Acquiring assertion targeting [application<uk.co.dcsLtd.remote>:14414] from originator [daemon<com.apple.SpringBoard>:12862] with description <RBSAssertionDescriptorI "FBWorkspace (ForegroundActive)" ID:34-12862-262505 target:14414 attributes:[<RBSRunningReasonAttributeI runningReason:10000>, <RBSDefineRelativeStartTimeGrant>, <RBSGPUAccessGrant>, <RBSCPUAccessGrantI role:UserInteractiveNonFocal>, <RBSJetsamPriorityGrantI priority:Foreground>, <RBSResistTerminationGrantI terminationResistance:Interactive>, <RBSEndowmentGrantI namespace:com.apple.frontboard.visibility>, <RBSAcquisitionCompletionAttributeI policy:AfterApplication>]>

default 17:10:02.924188 +0100 runningboardd Assertion 34-12862-262505 (target:[application<uk.co.dcsLtd.remote>:14414]) will be created as active

default 17:10:02.927879 +0100 appstored AMSURLSession: [IAPAE33251A/uk.co.dcsLtd.remote:1] Task received response

default 17:10:02.935485 +0100 appstored AMSURLProtocolHandler: [IAPAE33251A/uk.co.dcsLtd.remote:1] StatusCode: 200; <private>; Environment: (null)

default 17:10:02.936027 +0100 runningboardd Calculated state for application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)

default 17:10:02.937403 +0100 runningboardd Finished acquiring assertion 34-12862-262505 (target:[application<uk.co.dcsLtd.remote>:14414])

default 17:10:02.938258 +0100 SpringBoard [application<uk.co.dcsLtd.remote>:14414] Dropping launch assertion.

default 17:10:02.940771 +0100 runningboardd Invalidating assertion 34-12862-262496 (target:application<uk.co.dcsLtd.remote>) from originator [daemon<com.apple.SpringBoard>:12862]

default 17:10:03.002424 +0100 runningboardd Calculated state for application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)

default 17:10:03.002738 +0100 powerd Process runningboardd.34 Released SystemIsActive "application<uk.co.dcsLtd.remote>;(null):(null); 34-12862-262496:FBApplicationProcess" age:00:00:01 id:51539643152 [System: SysAct]

default 17:10:03.110480 +0100 appstored AMSURLSession: [IAPAE33251A/uk.co.dcsLtd.remote:1] Task finished loading

default 17:10:03.110926 +0100 appstored AMSURLSession: [IAPAE33251A/uk.co.dcsLtd.remote:1] Task completed successfully

default 17:10:03.111164 +0100 appstored [IAPAE33251A/uk.co.dcsLtd.remote:1] Found 0 transactions in pending queue

default 17:10:03.113677 +0100 appstored [C93 C7096552-D536-42EF-BEBF-F957FA38852E Hostname#a0b62430:443 tcp, bundle id: uk.co.dcsLtd.remote, url

```
hash: 0c32cb54, tls] cancel
default 17:10:03.113788 +0100 appstored [C93 C7096552-D536-42EF-BEBF-
F957FA38852E Hostname#a0b62430:443 tcp, bundle id: uk.co.dcsLtd.remote, url
hash: 0c32cb54, tls] cancelled
[C93.1 360758F1-3E13-4D30-9D16-645D26C6A395 192.168.178.114:56598<-
>IPv4#ecc4736b:443]
Connected Path: satisfied (Path is satisfied), viable, interface: en0, ipv4, dns
Duration: 0.653s, DNS @0.002s took 0.010s, TCP @0.019s took 0.043s, TLS
1.3 took 0.135s
bytes in/out: 8603/3531, packets in/out: 19/24, rtt: 0.075s, retransmitted bytes:
31, out-of-order bytes: 0
default 17:10:04.158356 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13377187/782445, WiFi delta_in/delta_out:
11155/5805, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:10:04.158446 +0100 symptomsd defusing ticker tickerFatal
having seen progress by flow for uk.co.dcsLtd.remote, rxbytes 11155 duration 1.686
seconds started at time: Wed Feb 17 17:10:02 2021
default 17:10:08.823644 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default will begin transition to visible NO
default 17:10:08.823998 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Setting deactivation reasons to: 'systemAnimation' for reason:
updateAllScenesForBand - Assertion added.
default 17:10:08.851606 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI
"Shared Background Assertion 2 for uk.co.dcsLtd.remote" ID:34-14414-262506
target:14414 attributes:[
<RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags:
( PreventTaskSuspend )>,
<RBSAcquisitionCompletionAttributeI policy:AfterValidation>
]>
default 17:10:08.851741 +0100 runningboardd Assertion 34-14414-262506
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-
time-defining assertions exist
default 17:10:08.853348 +0100 runningboardd Finished acquiring assertion
34-14414-262506 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:08.864172 +0100 runningboardd Invalidating assertion
34-14414-262506 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator
[application<uk.co.dcsLtd.remote>:14414]
default 17:10:08.870143 +0100 Runner flutter: \^[31m2021-02-17
17:10:08.853738: DCSRremote: SHOUT: New state: AppLifecycleState.inactive<...>
default 17:10:08.877069 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x2850a5ba0; type: MainTransition;
transitionID: 8C97634F-EF35-4EFE-8F04-5C993810D188; phase: Prepare;
animated: YES; fromAppLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>; toAppLayout: 0x0; fromEnvironmentMode:
application; toEnvironmentMode: home-screen; pendingTermination: {(
)}>
default 17:10:08.878145 +0100 SpringBoard [Main] handle response:
```

```

<SBSwitcherModifierEventResponse: 0x282626250> {
  <SBInvalidateAdjustedAppLayoutsSwitcherEventResponse: 0x282620ba0>;
  <SBSwitcherModifierEventResponse: 0x282622850> {
    <SBUpdateLayoutSwitcherEventResponse: 0x28303b380;
layoutImmediately; mode: None>;
    <SBIconOverlayVisibilitySwitcherEventResponse: 0x28303bf80; visible:
YES; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
    <SBIconViewVisibilitySwitcherEventResponse: 0x280bb0550; visible: NO;
animationSettings: 0x0; appLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>>;
    <SBNotifyIconWillZoomDownSwitcherEventResponse: 0x282621470;
appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
    <SBMatchMoveToIconViewSwitcherEventResponse: 0x2830d1600; active:
YES; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
  };
}
default 17:10:08.880639 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x28101c8f0; type: MainTransition;
transitionID: 8C97634F-EF35-4EFE-8F04-5C993810D188; phase: Animate;
animated: YES; fromAppLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>; toAppLayout: 0x0; fromEnvironmentMode:
application; toEnvironmentMode: home-screen; pendingTermination: {(
)}>
default 17:10:09.424208 +0100 SpringBoard [Main] dispatch event:
<SBMainTransitionSwitcherModifierEvent: 0x281068340; type: MainTransition;
transitionID: 8C97634F-EF35-4EFE-8F04-5C993810D188; phase: Complete;
animated: YES; fromAppLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>; toAppLayout: 0x0; fromEnvironmentMode:
application; toEnvironmentMode: home-screen; pendingTermination: {(
)}>
default 17:10:09.424921 +0100 SpringBoard [Main] handle response:
<SBSwitcherModifierEventResponse: 0x282584480> {
  <SBInvalidateAdjustedAppLayoutsSwitcherEventResponse: 0x2825d91d0>;
  <SBSwitcherModifierEventResponse: 0x2825dfc30> {
    <SBIconOverlayVisibilitySwitcherEventResponse: 0x283019a80; visible: NO;
appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
    <SBIconViewVisibilitySwitcherEventResponse: 0x280b2f6b0; visible: YES;
animationSettings: 0x0; appLayout: <SBAppLayout: 0x28317ca40; primary:
uk.co.dcsLtd.remote; environment: main>>;
    <SBMatchMoveToIconViewSwitcherEventResponse: 0x283019f40; active:
NO; appLayout: <SBAppLayout: 0x28317ca40; primary: uk.co.dcsLtd.remote;
environment: main>>;
  };
}
default 17:10:09.431893 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Setting deactivation reasons to: '(none)' for reason: scene settings update -

```

settings are NOT eligible for deactivation reasons.

```
default 17:10:09.431966 +0100 SpringBoard No longer tracking: <FBScene:
0x281ca48f0; sceneID: sceneID:uk.co.dcsLtd.remote-default; valid: YES>
default 17:10:09.466348 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[daemon<com.apple.SpringBoard>:12862] with description
<RBSAssertionDescriptorI "FBSceneSnapshotAction:sceneID:uk.co.dcsLtd.remote-
default" ID:34-12862-262509 target:14414 attributes:[
  <RBSRunningReasonAttributeI runningReason:17>,
  <RBSGPUAccessGrant>,
  <RBSCPUAccessGrantI role:NonUserInteractive>,
  <RBSJetsamPriorityGrantI priority:Background>,
  <RBSPreventIdleSleepGrant>
]>
default 17:10:09.471430 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Scene lifecycle state did change: Background
default 17:10:09.471522 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Setting process visibility to: Background
default 17:10:09.471565 +0100 runningboardd Assertion 34-12862-262509
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as active
default 17:10:09.471831 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Sending scene action [Logical Deactivate][0x3b2f] to process 0x100c8ed70
default 17:10:09.473810 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default did end transition to visible NO
default 17:10:09.474011 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:09.474661 +0100 runningboardd Invalidating assertion
34-12862-262502 (target:[application<uk.co.dcsLtd.remote>:14414]
(UIScene:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remot
e-default)) from originator [daemon<com.apple.SpringBoard>:12862]
default 17:10:09.479600 +0100 runningboardd Finished acquiring assertion
34-12862-262509 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:09.491955 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI
"Shared Background Assertion 3 for uk.co.dcsLtd.remote" ID:34-14414-262510
target:14414 attributes:[
  <RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags:
( PreventTaskSuspend )>,
  <RBSAcquisitionCompletionAttributeI policy:AfterValidation>
]>
default 17:10:09.491997 +0100 runningboardd Assertion 34-14414-262510
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-
time-defining assertions exist
default 17:10:09.492451 +0100 SpringBoard
updateKeyboardFocusDeferringRules: app focus pid:14414
token:com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-
default
default 17:10:09.493280 +0100 backboardd new deferring rules for pid:
```

```
12862: [  
  <environment: system> -> <pid: 12862; token: 0xF7F497E1> reason: "1-  
deferDiscrete: systemGestures",  
  <environment: keyboardFocus; display: builtin> -> <pid: 12862; token:  
0x16CDB680> reason: "1698-deferDiscrete: Key Window event focus deferral",  
  <environment: keyboardFocus; display: builtin> -> <pid: 14414; token:  
com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-default>  
reason: "1701-deferDiscrete: SpringBoardToApp",  
  <environment: keyboardFocus; display: builtin; token: 0x16CDB680> -> <pid:  
14414; token:  
com.apple.frontboard.systemappservices::sceneID%3Auk.co.dcsLtd.remote-default>  
reason: "1702-deferDiscrete: SpringBoardToAppCompatibility",  
  <environment: keyboardFocus; display: builtin> -> <pid: 12862; token:  
0xCD157492> reason: "1703-deferDiscrete: Key Window event focus deferral"  
]  
default 17:10:09.493484 +0100 runningboardd Finished acquiring assertion  
34-14414-262510 (target:[application<uk.co.dcsLtd.remote>:14414])  
default 17:10:09.494010 +0100 runningboardd Acquiring assertion targeting  
[application<uk.co.dcsLtd.remote>:14414] from originator  
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI  
"Shared Background Assertion 4 for uk.co.dcsLtd.remote" ID:34-14414-262511  
target:14414 attributes:[  
  <RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags:  
( PreventTaskSuspend )>,  
  <RBSAcquisitionCompletionAttributeI policy:AfterValidation>  
]>  
default 17:10:09.496174 +0100 runningboardd Assertion 34-14414-262511  
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-  
time-defining assertions exist  
default 17:10:09.498365 +0100 runningboardd Invalidating assertion  
34-14414-262511 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator  
[application<uk.co.dcsLtd.remote>:14414]  
default 17:10:09.498628 +0100 runningboardd Finished acquiring assertion  
34-14414-262511 (target:[application<uk.co.dcsLtd.remote>:14414])  
default 17:10:09.500269 +0100 powerd Process runningboardd.34 Created  
SystemIsActive  
"application<uk.co.dcsLtd.remote>34-12862-262509:FBSceneSnapshotAction:sceneI  
D:uk.co.dcsLtd.remote-default" age:00:00:00 id:51539643153 [System: SysAct]  
default 17:10:09.501412 +0100 runningboardd Acquiring assertion targeting  
[application<uk.co.dcsLtd.remote>:14414] from originator  
[application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI  
"Shared Background Assertion 5 for uk.co.dcsLtd.remote" ID:34-14414-262512  
target:14414 attributes:[  
  <RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags:  
( PreventTaskSuspend )>,  
  <RBSAcquisitionCompletionAttributeI policy:AfterValidation>  
]>  
default 17:10:09.501581 +0100 runningboardd Assertion 34-14414-262512  
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-  
time-defining assertions exist
```

default 17:10:09.503840 +0100 runningboardd Finished acquiring assertion 34-14414-262512 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:09.504399 +0100 runningboardd Acquiring assertion targeting [application<uk.co.dcsLtd.remote>:14414] from originator [application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI "Shared Background Assertion 6 for uk.co.dcsLtd.remote" ID:34-14414-262513 target:14414 attributes:[<RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags: (PreventTaskSuspend)>,<RBSAcquisitionCompletionAttributeI policy:AfterValidation>]>
default 17:10:09.504603 +0100 runningboardd Assertion 34-14414-262513 (target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-time-defining assertions exist
default 17:10:09.506754 +0100 runningboardd Finished acquiring assertion 34-14414-262513 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:09.507229 +0100 runningboardd Invalidating assertion 34-14414-262512 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [application<uk.co.dcsLtd.remote>:14414]
default 17:10:09.511525 +0100 runningboardd Invalidating assertion 34-14414-262513 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [application<uk.co.dcsLtd.remote>:14414]
default 17:10:09.511808 +0100 runningboardd Acquiring assertion targeting [application<uk.co.dcsLtd.remote>:14414] from originator [application<uk.co.dcsLtd.remote>:14414] with description <RBSAssertionDescriptorI "Shared Background Assertion 7 for uk.co.dcsLtd.remote" ID:34-14414-262514 target:14414 attributes:[<RBSLegacyAttributeI requestedReason:FinishTask reason:FinishTask flags: (PreventTaskSuspend)>,<RBSAcquisitionCompletionAttributeI policy:AfterValidation>]>
default 17:10:09.512162 +0100 runningboardd Assertion 34-14414-262514 (target:[application<uk.co.dcsLtd.remote>:14414]) will be created as inactive as start-time-defining assertions exist
default 17:10:09.517093 +0100 runningboardd Finished acquiring assertion 34-14414-262514 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:09.524646 +0100 SpringBoard Application process state changed for uk.co.dcsLtd.remote: <SBApplicationProcessState: 0x282a01d00; pid: 14414; taskState: Running; visibility: Background>
default 17:10:09.546602 +0100 Runner flutter: \^[31m2021-02-17 17:10:09.510330: DCSRremote: SHOUT: New state: AppLifecycleState.paused<...>
default 17:10:09.546776 +0100 Runner flutter: 2021-02-17 17:10:09.510907: StreamAPIDeviceManager: INFO: Could not connect to device StreamAPIDevice dCS Bartók DAC [ConnectionStatus.Disconnected]: SocketException: Connection attempt cancelled, host: 192.168.178.160, port: 80
default 17:10:09.549310 +0100 SpringBoard <XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote] Marked <private> purgeable with flags 0x10804
default 17:10:09.549441 +0100 SpringBoard <XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote]

```
Snapshot data for <XBApplicationSnapshot: 0x100dc8a90; ...2C2C34AF9233>
[uk.co.dcsLtd.remote] written to file: /private/var/mobile/Containers/Data/Application/
E014B506-53A6-45DD-9E2F-DE1686D3D3E0/Library/SplashBoard/Snapshots/
sceneID:uk.co.dcsLtd.remote-default/
4B73F81A-34F5-4EFB-80ED-2C2C34AF9233@2x.ktx
default 17:10:09.549487 +0100 SpringBoard [uk.co.dcsLtd.remote] START
liquidating the old, as snapshot generation succeeded
default 17:10:09.549531 +0100 SpringBoard [uk.co.dcsLtd.remote] deleting
old snapshots: (
)
default 17:10:09.549630 +0100 SpringBoard [uk.co.dcsLtd.remote] deleting
old suspend snapshots using predicate: <XBApplicationSnapshotPredicate:
0x2829fd820> {
    name = SBSuspendSnapshot;
    contentTypeMask = SceneContent;
}
default 17:10:09.549867 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote] Deleting
snapshot <XBApplicationSnapshot: 0x1043743d0; ...2D59252EEC3D>
[uk.co.dcsLtd.remote] for reason: _contentType: SceneContent(0)
default 17:10:09.550189 +0100 SpringBoard [uk.co.dcsLtd.remote] STOP
liquidating the old
default 17:10:09.562948 +0100 SpringBoard [uk.co.dcsLtd.remote] START
liquidating the old, as snapshot generation succeeded
default 17:10:09.563038 +0100 SpringBoard [uk.co.dcsLtd.remote] deleting
old snapshots: (
)
default 17:10:09.573454 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote] Marked
<private> purgeable with flags 0x10804
default 17:10:09.573984 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote]
Snapshot data for <XBApplicationSnapshot: 0x104164ab0; ...FDEE50139C71>
[uk.co.dcsLtd.remote] written to file: /private/var/mobile/Containers/Data/Application/
E014B506-53A6-45DD-9E2F-DE1686D3D3E0/Library/SplashBoard/Snapshots/
sceneID:uk.co.dcsLtd.remote-default/downscaled/0F4BC2A9-2716-48F4-894A-
FDEE50139C71@2x.ktx
default 17:10:09.576325 +0100 SpringBoard [uk.co.dcsLtd.remote] deleting
old suspend snapshots using predicate: <XBApplicationSnapshotPredicate:
0x2829e6fe0> {
    name = SBSuspendSnapshot;
    contentTypeMask = SceneContent;
}
default 17:10:09.576655 +0100 SpringBoard [uk.co.dcsLtd.remote] STOP
liquidating the old
default 17:10:09.581800 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:09.582333 +0100 runningboardd Invalidating assertion
34-14414-262514 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator
[application<uk.co.dcsLtd.remote>:14414]
```

default 17:10:09.582700 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote] Marked
<private> purgeable with flags 0x10804

default 17:10:09.582765 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote]
Snapshot data for <XBApplicationSnapshot: 0x100c27650; ...FF8C1F1A8130>
[uk.co.dcsLtd.remote] written to file: /private/var/mobile/Containers/Data/Application/
E014B506-53A6-45DD-9E2F-DE1686D3D3E0/Library/SplashBoard/Snapshots/
sceneID:uk.co.dcsLtd.remote-default/4880FD78-5DD3-4B0C-9B37-
FF8C1F1A8130@2x.ktx

default 17:10:09.583261 +0100 runningboardd Invalidating assertion
34-12862-262509 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator
[daemon<com.apple.SpringBoard>:12862]

default 17:10:09.586350 +0100 runningboardd Invalidating assertion
34-14414-262510 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator
[application<uk.co.dcsLtd.remote>:14414]

default 17:10:09.600442 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote] Marked
<private> purgeable with flags 0x10804

default 17:10:09.600641 +0100 SpringBoard
<XBApplicationSnapshotManifestImpl: 0x280510000> [uk.co.dcsLtd.remote]
Snapshot data for <XBApplicationSnapshot: 0x100deaf80; ...E23834D2C03E>
[uk.co.dcsLtd.remote] written to file: /private/var/mobile/Containers/Data/Application/
E014B506-53A6-45DD-9E2F-DE1686D3D3E0/Library/SplashBoard/Snapshots/
sceneID:uk.co.dcsLtd.remote-default/downscaled/889A18F8-3178-4579-8F43-
E23834D2C03E@2x.ktx

default 17:10:09.604518 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Scene action [Logical Deactivate][0x3b2f] completed with success: 1

default 17:10:09.604854 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Scene assertion state did change: BackgroundActive.

default 17:10:09.604897 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Workspace assertion state did change:
BackgroundActive (acquireAssertion = YES).

default 17:10:09.605056 +0100 runningboardd Acquiring assertion targeting
[application<uk.co.dcsLtd.remote>:14414] from originator
[daemon<com.apple.SpringBoard>:12862] with description
<RBSAssertionDescriptorl "FBWorkspace (BackgroundActive)" ID:34-12862-262515
target:14414 attributes:[
 <RBSRunningReasonAttribute1 runningReason:10001>,
 <RBSDefineRelativeStartTimeGrant>,
 <RBSGPUAccessGrant>,
 <RBSCPUAccessGrant1 role:NonUserInteractive>,
 <RBSJetsamPriorityGrant1 priority:Background>,
 <RBSResistTerminationGrant1 terminationResistance:NonInteractive>
]>

default 17:10:09.605097 +0100 runningboardd Assertion 34-12862-262515
(target:[application<uk.co.dcsLtd.remote>:14414]) will be created as active

default 17:10:09.605770 +0100 SpringBoard [sceneID:uk.co.dcsLtd.remote-
default] Scene assertion state did change: None.

default 17:10:09.605857 +0100 SpringBoard

[application<uk.co.dcsLtd.remote>:14414] Workspace assertion state did change: None (acquireAssertion = NO).
default 17:10:09.605900 +0100 runningboardd Invalidating assertion 34-12862-262505 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [daemon<com.apple.SpringBoard>:12862]
default 17:10:09.606210 +0100 runningboardd Calculated state for application<uk.co.dcsLtd.remote>: running-active (role: UserInteractiveNonFocal)
default 17:10:09.606734 +0100 runningboardd Invalidating assertion 34-12862-262515 (target:[application<uk.co.dcsLtd.remote>:14414]) from originator [daemon<com.apple.SpringBoard>:12862]
default 17:10:09.607709 +0100 runningboardd Finished acquiring assertion 34-12862-262515 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:09.674544 +0100 runningboardd Removed last relative-start-date-defining assertion for process application<uk.co.dcsLtd.remote>
default 17:10:09.687373 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Set jetsam priority to 0 [0] flag[1]
default 17:10:09.687704 +0100 powerd Process runningboardd.34 Released SystemIsActive
"application<uk.co.dcsLtd.remote>34-12862-262509:FBSceneSnapshotAction:scene1 D:uk.co.dcsLtd.remote-default" age:00:00:00 id:51539643153 [System: SysAct]
default 17:10:09.687845 +0100 runningboardd Calculated state for application<uk.co.dcsLtd.remote>: running-suspended (role: None)
default 17:10:09.688105 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Suspending task.
default 17:10:09.688567 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Shutdown sockets (SVC)
default 17:10:09.688608 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Set darwin role to: None
default 17:10:09.688647 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Set GPU priority to "deny"
default 17:10:09.688687 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] check if suspended process is holding locks
default 17:10:09.694605 +0100 symptomsd Data Usage for uk.co.dcsLtd.remote - WiFi in/out: 13382801/785352, WiFi delta_in/delta_out: 5614/2907, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:10:09.694952 +0100 symptomsd defusing ticker tickerFatal having seen progress by flow for uk.co.dcsLtd.remote, rxbytes 5614 duration 7.755 seconds started at time: Wed Feb 17 17:10:01 2021
default 17:10:09.702178 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Setting process task state to: Suspended
default 17:10:09.703153 +0100 SpringBoard Application process state changed for uk.co.dcsLtd.remote: <SBApplicationProcessState: 0x282aa5520; pid: 14414; taskState: Suspended; visibility: Background>
default 17:10:09.703837 +0100 mediaserverd -CMSessionMgr-CMSessionMgrHandleApplicationStateChange: Client uk.co.dcsLtd.remote with pid '14414' is now Background Suspended. Background entitlement: NO ActiveLongFormVideoSession: NO WhitelistedLongFormVideoApp NO
default 17:10:09.703882 +0100 mediaserverd -CMSessionMgr-CMSessionMgrHandleApplicationStateChange: Sending stop command to

uk.co.dcsLtd.remote with pid '14414' because client is background suspended and there is no AirPlay video session for it

```
default 17:10:09.704422 +0100 SpringBoard [uk.co.dcsLtd.remote]
uk.co.dcsLtd.remote application state changed to BackgroundTaskSuspended
default 17:10:09.704713 +0100 SpringBoard [uk.co.dcsLtd.remote] Ignore
becoming background for application without push registration
default 17:10:09.716936 +0100 locationd {"msg":"#CLIUA Marking change",
"clientKey":"uk.co.dcsLtd.remote", "reason":"Decaying in-use status from process
state", "assertionLevel":4, "coming":1}
default 17:10:09.717017 +0100 locationd {"msg":"#CLIUA Marking change",
"clientKey":"uk.co.dcsLtd.remote", "reason":"Process state from RunningBoard",
"assertionLevel":5, "coming":0}
default 17:10:09.721825 +0100 accessoryd Posting application state
change {
  ACCPlatformApplicationStateDisplayIDKey = "uk.co.dcsLtd.remote";
  ACCPlatformApplicationStateKey = 2;
  ACCPlatformApplicationStateProcessIDKey = 14414;
}
default 17:10:09.721872 +0100 accessoryd handling app state change
notification {
  ACCPlatformApplicationStateDisplayIDKey = "uk.co.dcsLtd.remote";
  ACCPlatformApplicationStateKey = 2;
  ACCPlatformApplicationStateProcessIDKey = 14414;
}
default 17:10:09.732702 +0100 symptomsd uk.co.dcsLtd.remote:
Foreground: false
default 17:10:09.732928 +0100 symptomsd call
_saveAndUnloadSelectState on uk.co.dcsLtd.remote exiting foreground state
default 17:10:12.504228 +0100 runningboardd Assertion did invalidate due to
timeout: 34-34-262497 (target:[application<uk.co.dcsLtd.remote>:14414])
default 17:10:12.707409 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: running-suspended (role: None)
default 17:10:19.723224 +0100 locationd {"msg":"#CLIUA Marking change",
"clientKey":"uk.co.dcsLtd.remote", "reason":"Decaying in-use status from process
state", "assertionLevel":4, "coming":0}
default 17:10:40.820190 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Shutdown sockets (ALL)
default 17:10:43.872766 +0100 runningboardd
[application<uk.co.dcsLtd.remote>:14414] Shutdown sockets (ALL)
default 17:11:48.091066 +0100 Runner flutter: 2021-02-17 17:11:48.090671:
DeviceSelectionPage: INFO: Saving selected device: dCS Bartók DAC
default 17:11:48.311181 +0100 Runner flutter: 2021-02-17 17:11:48.310807:
StreamAPIClient: INFO: Subscribed to path dcsUiMenu:/ui.rows
default 17:11:48.799095 +0100 Runner flutter: 2021-02-17 17:11:48.798614:
StreamAPIClient: INFO: Subscribed to path dcsUiMenu:/settings.rows
default 17:11:50.699163 +0100 SpringBoard
[application<uk.co.dcsLtd.remote>:14414] Process exited: <RBSPProcessExitContextl
specific, status:<RBSPProcessExitStatusl domain:jetsam(1) code:per-process-
limit(7)>>.
default 17:11:50.699391 +0100 SpringBoard
```

[application<uk.co.dcsLtd.remote>:14414] Setting process task state to: Not Running
default 17:11:50.699524 +0100 SpringBoard

[application<uk.co.dcsLtd.remote>:14414] Setting process visibility to: Unknown
default 17:11:50.699635 +0100 SpringBoard

[application<uk.co.dcsLtd.remote>:14414] Invalidating workspace.
default 17:11:50.699732 +0100 SpringBoard Removing workspace
registration for processHandle: [application<uk.co.dcsLtd.remote>:14414]
default 17:11:50.699890 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: none (role: None)
default 17:11:50.700052 +0100 SpringBoard Removing:
<FBApplicationProcess: 0x100c8ed70; application<uk.co.dcsLtd.remote>:
14414(vA3F6)>
default 17:11:50.710804 +0100 runningboardd Calculated state for
application<uk.co.dcsLtd.remote>: none (role: None)
default 17:11:50.717019 +0100 SpringBoard [uk.co.dcsLtd.remote]
uk.co.dcsLtd.remote application state changed to Terminated
default 17:11:50.717115 +0100 SpringBoard [uk.co.dcsLtd.remote] Ignore
becoming background for application without push registration
default 17:11:50.926139 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default will begin transition to visible NO
default 17:11:51.023914 +0100 SpringBoard
SBMainWorkspaceApplicationSceneLayoutElementViewController-
sceneID:uk.co.dcsLtd.remote-default did end transition to visible NO
default 17:11:51.105616 +0100 SpringBoard [SBMainDisplaySceneManager
sceneManager:didDestroyScene: <FBScene: 0x281ca48f0; sceneID:
sceneID:uk.co.dcsLtd.remote-default; valid: NO>] - proposing IdleTimerBehavior.
default 17:11:51.674136 +0100 locationd {"msg":"#CLIUA Marking change",
"clientKey":"uk.co.dcsLtd.remote", "reason":"Process state from RunningBoard",
"assertionLevel":5, "coming":0}
default 17:11:53.493696 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13415389/799683, WiFi delta_in/delta_out:
8496/512, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:11:53.495462 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13415903/800192, WiFi delta_in/delta_out:
514/509, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:11:53.497329 +0100 symptomsd Data Usage for
uk.co.dcsLtd.remote - WiFi in/out: 13416496/800708, WiFi delta_in/delta_out:
593/516, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 17:11:55.206319 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints are newly available
[0] Endpoint=dCS Bartók DAC, supportedFeatures=audio
default 17:12:07.285088 +0100 mediaserverd -FigRoutingManager-
routingManager_logDetailsOfEndpoints: The following endpoints went away:
[0] Endpoint=Apple TV, supportedFeatures=screen+audio+playback
[1] Endpoint=dCS Bartók DAC, supportedFeatures=audio
[2] Endpoint=A7_056476, supportedFeatures=audio