

default	08:38:22.661750	Runner	onListen lost
default	08:38:22.661785	Runner	onListen running
default	08:38:22.661935	appstored	[Telemetry]: Activity <nw_activity 12.2 [9435260D-C797-4A3C-961E-753DBD72609E] (reporting strategy default)> on Task <0A8E6784-1289-4F99-A2F8-FFFC3B6B1B20> <1> was not selected for reporting
default	08:38:22.662496	appstored	Task <0A8E6784-1289-4F99-A2F8-FFFC3B6B1B20> <1> [strength 0, its 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0]
default	08:38:22.664175	appstored	Connection 168: enabling TLS
default	08:38:22.664257	appstored	Connection 168: starting, TC(0x0)
default	08:38:22.664315	appstored	[C168 BAE2EC1D-69EF-4776-A3E9-E986A9CE566B Hostname#d44eb5c8:443 tcp, bundle id: uk.co.dcsldt.remote, url hash: ce1954d8, ts, context: com.apple.CFNetwork.NSURLSession.(DE70AD48-B1D7-46F6-98E2-631AA5026161)[AMP][Y][2], proc: C5E6277C-0503-3485-BABD-65F32EE70815, effective proc: 8453E971-2F8D-3492-8438-BD1C5E14FA4C, no cellular fallback] st
default	08:38:22.664407	appstored	[C168 Hostname#d44eb5c8:443 initial path (null)] event: path:start @0.000s
default	08:38:22.664495	appstored	[C168 Hostname#d44eb5c8:443 waiting path (satisfied) (Path is satisfied), interface: en0, ipv4, dns)] event: path:satisfied @0.000s, uuid: 76AA0E0D-3849-4048-A77E-A9CFC82C9EEC
default	08:38:22.664533	appstored	[C168 Hostname#d44eb5c8:443 in_progress resolver (satisfied) (Path is satisfied), interface: en0, ipv4, dns)] event: resolver:start_dns @0.000s
default	08:38:22.664676	appstored	nw_connection_report_state_with_handler_on_nw_queue [C168] reporting state preparing
default	08:38:22.664855	appstored	Task <0A8E6784-1289-4F99-A2F8-FFFC3B6B1B20> <1> setting up Connection 168
default	08:38:22.664978	mDNSResponse	[R107769] getaddrinfo start -- flags: 0xC000D000, ifindex: 0, protocols: 0, hostname: <mask.hash: 'dXMntbcRsa6De293Q/OSM/Q==', options: {}, client pid: 17200 (appstored), delegator uuid: 8453e971-2f8d-3492-843b-bd1ce14fa4c
default	08:38:22.665036	mDNSResponse	[R107769->Q48430] Question for <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (HTTPS) assigned DNS service 497
default	08:38:22.665091	mDNSResponse	[R107769->Q57260] Question for <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (AAAA) assigned DNS service 497
default	08:38:22.665143	mDNSResponse	[Q57260] ShouldSuppressUnicastQuery: Query suppressed for <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> AAAA (AAAA records are unusable)
default	08:38:22.665235	mDNSResponse	[R107769->Q26187] Question for <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (Addr) assigned DNS service 497
default	08:38:22.665334	mDNSResponse	[R107769->Q48430] AnswerQuestionByFollowingCNAME: 0x11f81260 <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (HTTPS) following CNAME referral 0 for <mask.hash: 'a9KuUshRMuJCTqERvxKvQ==>
default	08:38:22.665430	mDNSResponse	[R107769->Q43626] Question for <mask.hash: 'C'D1TUuBH1xsin7ParWM/Q==> (HTTPS) assigned DNS service 497
default	08:38:22.665483	mDNSResponse	[R107769->Q57260] GenerateNegativeResponse: Generating negative response for question <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (AAAA)
default	08:38:22.665587	mDNSResponse	[R107769->Q57260] getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: 'uhj6xS4sHA013bIREN9c1g==>, type: AAAA, rdata: <none> (mortal)
default	08:38:22.665644	mDNSResponse	[R107769->Q26187] AnswerQuestionByFollowingCNAME: 0x11e81ee0 <mask.hash: 'uhj6xS4sHA013bIREN9c1g==> (Addr) following CNAME referral 0 for <mask.hash: 'a9KuUshRMuJCTqERvxKvQ==>
default	08:38:22.665690	mDNSResponse	[R107769->Q17344] Question for <mask.hash: 'C'D1TUuBH1xsin7ParWM/Q==> (Addr) assigned DNS service 497
default	08:38:22.666217	mDNSResponse	[Q43626] Sent 59-byte query #1 to <IPv4.BBPOqZ> over UDP via en0/8 -- id: 0x6F12 (28434), flags: 0x0100 (Q/Query, RD, NoError), counts: 1/0/0/0, BBAieHQV in HTTPS?
default	08:38:22.666376	mDNSResponse	[Q17344] Sent 59-byte query #1 to <IPv4.BBPOqZ> over UDP via en0/8 -- id: 0xD282 (53890), flags: 0x0100 (Q/Query, RD, NoError), counts: 1/0/0/0, BBAieHQV in A?
default	08:38:22.666476	Runner	6.26.0 [Firebase/Analytics][ACSO31025] Analytics screen reporting is enabled. Call 'FirebaseAnalytics.setScreenName:setScreenClass' to set the screen name or override the default screen class name. To disable screen reporting, set the flag FirebaseScreenReportingEnabled to NO (boolean) in the Info.plist
default	08:38:22.675278	Runner	flutter: 2021-02-21 08:38:22.641805: DCSRemote: INFO: Started with URI link: null
default	08:38:22.675826	Runner	flutter: 2021-02-21 08:38:22.643110: DeviceSelectionPage: INFO: lastActiveDevice: {"name": "dCS Bartok DAC", "uuid": "dcs-bartok-883f4aa1da80", "id": "0", "ip": "192.168.178.160", "mDNSname": "dcs-bartok-883f4aa1da80"}
default	08:38:22.677371	symptoms	WiFi observer_foregroundCounts.currentCombinedFlags is 0x101010101
default	08:38:22.677423	symptoms	WiFi observer_backgroundCounts.currentCombinedFlags is 0x1000101010
default	08:38:22.678112	SpringBoard	[Main] dispatch event:
<SBTimerSwitcherModifierEvent: 0x282d471e0, type: Timer, reason: kSBTransitionModifierInvalidateAsyncRenderingReason>			
default	08:38:22.678196	SpringBoard	Added: <UIApplicationSceneDeactivationAssertion: 0x2826c7120, reason: systemGesture, all scene levels, hasPredicate: YES>
default	08:38:22.678235	SpringBoard	Removed: <UIApplicationSceneDeactivationAssertion: 0x282770930, reason: systemAnimation, all scene levels, hasPredicate: NO>
default	08:38:22.678273	SpringBoard	[sceneD.uk.co.dcsldt.remote-default] Setting deactivation reasons to: {none} for reason: updateAllScenesForBand - Assertion removed.
default	08:38:22.679428	SpringBoard	[Main] dispatch event:
<SBTimerSwitcherModifierEvent: 0x282d471e0, type: Timer, reason: kSBIconZoomDisallowAcceleratedHomeButtonPressReason>			
default	08:38:22.690395	Runner	flutter: ^[[3m2021-02-21 08:38:22.667427: DCSRemote: SHOUT: New state: AppLifecycleState.resumed<...>
default	08:38:22.691412	Runner	flutter: ^[[3m2021-02-21 08:38:22.667697: StreamAPIDeviceManager: SHOUT: Resume connection to devices: [StreamAPIDevice dCS Bartok DAC [ConnectionStatus.Connecting]]<...>
default	08:38:22.691691	Runner	flutter: 2021-02-21 08:38:22.667802: StreamAPIDeviceManager: INFO: Reconnect devices...
default	08:38:22.693591	Runner	Read options: 0 - URL: <private> -- purposeID: 4FB236AA-0D4C-46BA-B71D-42B41BDCEFA2 -- claimID: BC8D0FA4-4232-4141-8678-737202302CC4
default	08:38:22.693674	filecoordinationd	Received claim BC8D0FA4-4232-4141-8678-737202302CC4
default	08:38:22.693883	filecoordinationd	Requesting container lookup; class = 2, identifier = <private>, temp = 0, create = 0, uid = 0, uid = 0, personaid = 1000, type = DEFAULT, name = E2EB5941-1B38-412-859A-D5396142E201
default	08:38:22.694214	containermanagt stat [private]:	exists: 1, isDirectory: 0, fsNode: <---->
default	08:38:22.694271	containermanagt [0] command=0, client=<---->, u=-5015011--/01000>, uid=0, pid=220, sandboxed=0, platform=2, error=(none)	
default	08:38:22.694357	filecoordinationd	container_create_or_lookup_path_for_platform: success
default	08:38:22.694580	filecoordinationd	Requesting container lookup; class = 2, identifier = <private>, temp = 0, create = 0, uid = 0, uid = 0, personaid = 1000, type = DEFAULT, name = E2EB5941-1B38-412-859A-D5396142E201
default	08:38:22.694787	containermanagt stat [private]:	exists: 1, isDirectory: 0, fsNode: <---->
default	08:38:22.694827	containermanagt [0] command=0, client=<---->, u=-5015011--/01000>, uid=0, pid=220, sandboxed=0, platform=2, error=(none)	
default	08:38:22.694926	filecoordinationd	container_create_or_lookup_path_for_platform: success
default	08:38:22.695027	filecoordinationd	Claim BC8D0FA4-4232-4141-8678-737202302CC4 granted in server
default	08:38:22.695151	filecoordinationd	Claim BC8D0FA4-4232-4141-8678-737202302CC4 invoked in server
default	08:38:22.695229	Runner	Claim BC8D0FA4-4232-4141-8678-737202302CC4 granted in client
default	08:38:22.695268	Runner	Claim BC8D0FA4-4232-4141-8678-737202302CC4 invoked in client
default	08:38:22.695326	filecoordinationd	Claim BC8D0FA4-4232-4141-8678-737202302CC4 was revoked
default	08:38:22.696690	Runner	flutter: 2021-02-21 08:38:22.690719: StreamAPIClient: INFO: Subscribed to path /player/data.item
default	08:38:22.725538	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(739w x 1314h), aseFunctionOnYesOffNo=1
default	08:38:22.727476	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(741w x 1318h), aseFunctionOnYesOffNo=1
default	08:38:22.727816	kernel	tcp_timers: tcp_output() returned 0 with retransmission timer disabled for 59835 > 50161 in state 4, reset timer to 459
default	08:38:22.727975	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(744w x 1323h), aseFunctionOnYesOffNo=1
default	08:38:22.742365	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(745w x 1325h), aseFunctionOnYesOffNo=1
default	08:38:22.747533	Runner	flutter: ^[[3m2021-02-21 08:38:22.747161: StreamAPIDevice: WARNING: Failed to parse metadata: NoSuchMethodError: The method ']' was called on null.
Receiver: null			
Tried calling: []<...>			
default	08:38:22.747583	Runner	flutter: ^[[3m2021-02-21 08:38:22.747334: StreamAPIDevice: WARNING: Failed to parse resources information: NoSuchMethodError: The method ']' was called on null.
Receiver: null			
Tried calling: []("mediaData")<...>			
default	08:38:22.747627	Runner	flutter: ^[[3m2021-02-21 08:38:22.747385: StreamAPIDevice: WARNING: Failed to parse duration: NoSuchMethodError: The method ']' was called on null.
Receiver: null			
Tried calling: []<...>			
default	08:38:22.747709	Runner	flutter: ^[[3m2021-02-21 08:38:22.747432: StreamAPIDevice: WARNING: Failed to parse controls: NoSuchMethodError: The method 'containsKey' was called on null.
Receiver: null			
Tried calling: containsKey()<...>			
default	08:38:22.75857	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(747w x 1328h), aseFunctionOnYesOffNo=1
default	08:38:22.770833	Runner	flutter: 2021-02-21 08:38:22.770453: StreamAPIClient: INFO: Subscribed to path /player/data/playTime.item
default	08:38:22.775499	backboardd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(747w x 1329h), aseFunctionOnYesOffNo=1
default	08:38:22.789599	mDNSResponse	[Q43626] Received acceptable 216-byte response from <IPv4.BBPOqZ> over UDP via en0/8 -- id: 0x6F12 (28434), flags: 0x8180 (R/Query, RD, NoError), counts: 1/2/1/0, BBAieHQV in HTTPS?, 200 in CNAME BByojid, 200 in CNAME BBEkfxic, BBAiYSmu 596 in SOA BBAieHQV, BBRHfHx 161382698 1000 1000 1000 1800
default	08:38:22.789710	mDNSResponse	[Q43626] Handling concluded querier: BBAieHQV HTTPS IN
default	08:38:22.790040	mDNSResponse	[Q28434] mDNSCoreReceiveResponse ignoring <mask.hash: 'M0zSkxZwIUpYonW342Ug==>
default	08:38:22.790107	mDNSResponse	[R107769->Q43626] AnswerQuestionByFollowingCNAME: 0x11f81260 <mask.hash: 'C'D1TUuBH1xsin7ParWM/Q==> (HTTPS) following CNAME referral 1 for <mask.hash: 'yI2trUIG4M/V00L3V8N7w==>

default	08:38:22.790159 mDNSResponse [R107769->Q26439] Question for <mask.hash: '1encYqDoZ3W9QOD4evhqqg==> (HTTPS assigned DNS service 497	
default	08:38:22.790331 mDNSResponse [R107769->Q17344] AnswerQuestionByFollowingCNAME: 0x11e81e00 <mask.hash: 'C'D1TUuBH1xsn7ParWM/Q==> (Addr following CNAME referral 1 for <mask.hash: 'Y2trvUIG4MV00L3V8N7w==>	
default	08:38:22.790386 mDNSResponse [Q17344] Keeping orphaned querier for up to 5 seconds	
default	08:38:22.790489 mDNSResponse [R107769->Q54109] Question for <mask.hash: '1encYqDoZ3W9QOD4evhqqg==> (Addr) assigned DNS service 497	
default	08:38:22.791110 mDNSResponse [R107769->Q26439] AnswerQuestionByFollowingCNAME: 0x11f81260 <mask.hash: '1encYqDoZ3W9QOD4evhqqg==> (HTTPS) following CNAME referral 2 for <mask.hash: 'T2f1Ld8DzsuBFffI2IQN+A==>	
default	08:38:22.791169 mDNSResponse [R107769->Q27819] Question for <mask.hash: '3ME1PV+kQb1H9obGTfjlg==> (HTTPS assigned DNS service 497	
default	08:38:22.791229 mDNSResponse [R107769->Q54109] AnswerQuestionByFollowingCNAME: 0x11e81e00 <mask.hash: '1encYqDoZ3W9QOD4evhqqg==> (Addr) following CNAME referral 2 for <mask.hash: 'T2f1Ld8DzsuBFffI2IQN+A==>	
default	08:38:22.792075 mDNSResponse [R107769->Q7684] Question for <mask.hash: '3ME1PV+kQb1H9obGTfjlg==> (Addr) assigned DNS service 497	
default	08:38:22.792156 mDNSResponse [R107769->Q27819] getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: '3ME1PV+kQb1H9obGTfjlg==>, type: HTTPTS, rdata: <none> (mortal)	
default	08:38:22.792437 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(748w x 1330h), aseFunctionOnYesOffNo=1	
default	08:38:22.792937 mDNSResponse [Q7684] Sent 4-byte query #1 to <IPv4.BBPoqz> over UDP via en0/8 -- id: 0x3265 (12901), flags: 0x1000 (Q/Query, RD, NoError), counts: 1/0/0/0, BBKsfxc: IN A?	
default	08:38:22.793289 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120051006/3925194, WiFi delta_in/delta_out: 244/87, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0	
default	08:38:22.800500 mDNSResponse [Q17344] Received acceptable 181-byte response from <IPv4.BBPoqz> over UDP via en0/8 -- id: 0x2282 (53890), flags: 0x8180 (R/Query, RD, RA, NoError), counts: 1/4/0/0, BBAieHQV: IN A?, 200 IN CNAME BByontjd, 200 IN CNAME BBKsfxc, 14 IN A BBRZISr, 14 IN A BBVcYOF	
default	08:38:22.800598 mDNSResponse [Q17344] Handling concluded querier: BBAieHQV A IN	
default	08:38:22.800723 mDNSResponse mDNSCoreReceiveCacheCheck: rescuing RR <mask.hash: 'Y2trvUIG4MV00L3V8N7w==>	
default	08:38:22.800932 mDNSResponse mDNSCoreReceiveCacheCheck: rescuing RR <mask.hash: 'T2f1Ld8DzsuBFffI2IQN+A==>	
default	08:38:22.801183 mDNSResponse [R107769->Q7684] getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: '3ME1PV+kQb1H9obGTfjlg==>, type: A, rdata: <mask.hash: 'ixWhDk6gx61g8ofkiF3A==> (immortal)	
default	08:38:22.801250 mDNSResponse [R107769->Q7684] getaddrinfo result -- event: add, ifindex: 0, name: <mask.hash: '3ME1PV+kQb1H9obGTfjlg==>, type: A, rdata: <mask.hash: 'm286qR0Z+NA75pLkL6b0w==> (immortal)	
default	08:38:22.801541 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120051215/3925281, WiFi delta_in/delta_out: 209/87, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0	
default	08:38:22.802196 mDNSResponse [R107769] getaddrinfo stop -- hostname: <mask.hash: 'dXmCncRsa6De293O/OSmQ==>, client pid: 17200 (appstored)	
default	08:38:22.802236 mDNSResponse [Q7684] Keeping orphaned querier for up to 5 seconds	
default	08:38:22.802695 appstored [C168 Hostname#d4e45c8-443 in_progress resolver (satisfied (Path is satisfied), interface: en0, ipv4, dns)] event: resolver:receive_dns @0.168s	
default	08:38:22.803149 appstored [C168.1 IPv4#91dabc27-443 initial path (null)] event: path.start @0.168s	
default	08:38:22.803696 appstored [C168.1 IPv4#91dabc27-443 waiting path (satisfied (Path is satisfied), interface: en0, ipv4, dns)] event: path.satisfied @0.168s, uid: B25B70D3-E00D-4FBE-9048-6DB49514970	
default	08:38:22.803861 appstored [C168.1 IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), interface: en0, ipv4, dns)] event: flow.start_nexus @0.169s	
default	08:38:22.804730 appstored [C168.1 IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns)] event: flow.receive_nexus @0.170s	
default	08:38:22.806368 appstored [C168.1 IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns)] event: flow.start_connect @0.171s	
default	08:38:22.806982 appstored top_output [C168.1.3] flags=[S] seq=2014132616, ack=0, win=65535 state=SYN_SENT rcv_nxt=0, snd_una=2014132616	
default	08:38:22.809045 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(748w x 1330h), aseFunctionOnYesOffNo=1	
default	08:38:22.809776 Runner flutter: 2021-02-21 08:38:22.809324: StreamAPIClient: INFO: Subscribed to path player:volume.item	
default	08:38:22.825360 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(748w x 1331h), aseFunctionOnYesOffNo=1	
default	08:38:22.841885 appstored top_input [C168.1.3] flags=[S] seq=1152423731, ack=2014132617, win=65160 state=SYN_SENT rcv_nxt=0, snd_una=2014132616	
default	08:38:22.842011 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(749w x 1332h), aseFunctionOnYesOffNo=1	
default	08:38:22.842066 appstored nw_flow_connected [C168.1 IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns)] Transport protocol connected	
default	08:38:22.842445 appstored [C168.1 IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns)] event: flow.finish_transport @0.207s	
default	08:38:22.842585 appstored [C168 Hostname#d4e45c8-443 in_progress resolver (satisfied (Path is satisfied), interface: en0, ipv4, dns)] event: flow.finish_transport @0.207s	
default	08:38:22.843175 appstored boringssl_session_apply_protocol_options_for_transport_block_invoke(1689) [C168.1.2][0x10166050] TLS configured [min_version(0x0304) name(<private>) tickets(false) false_start(false) enforce_ev(false) enforce_ats(false)]	
default	08:38:22.843536 appstored boringssl_context_info_handler(1821) [C168.1.2][0x10166050] Client handshake started	
default	08:38:22.843820 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS client enter_early_data	
default	08:38:22.844211 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS client read_server_hello	
default	08:38:22.858762 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOffNo=1	
default	08:38:22.866632 Runner flutter: 2021-02-21 08:38:22.866247: StreamAPIClient: INFO: Subscribed to path settings/deviceName.item	
default	08:38:22.870363 SpringBoard [CLOHidInterface] Property for usage pair (65280, 9): (GyroProperties = {	
	GyroFactoryMode = 0;	
	GyroMeasurementRange = 2000;	
	GyroXAxisOffset = 0;	
	GyroYAxisOffset = 0;	
	GyroZAxisOffset = 0;	
	}) was set successfully	
default	08:38:22.870692 backboardd 0x1000004c8: set report interval:1000000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634	
default	08:38:22.871088 SpringBoard [CLOHidInterface] Property for usage pair (65280, 9): (ReportInterval = 1000000) was set successfully	
default	08:38:22.871480 SpringBoard [CLOHidInterface] Property for usage pair (65280, 9): (GyroExtLevelTriggerSync = 0) was set successfully	
default	08:38:22.871730 backboardd 0x1000004c8: set batch interval:15000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634	
default	08:38:22.871787 SpringBoard [CLOHidInterface] Property for usage pair (65280, 9): (BatchInterval = 15000) was set successfully	
default	08:38:22.875298 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOffNo=1	
default	08:38:22.885868 kernel top_timers: tcp_output() returned 0 with retransmission timer disabled for 59835 > 50161 in state 4, reset timer to 433	
default	08:38:22.891885 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOffNo=1	
default	08:38:22.898371 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client read_hello_retry_request	
default	08:38:22.898497 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client read_server_hello	
default	08:38:22.899126 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client read_encrypted_extensions	
default	08:38:22.899930 appstored boringssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client read_certificate_request	
default	08:38:22.908681 backboardd [1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight:]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOffNo=1	
default	08:38:22.915458 SpringBoard [Main] dispatch event:	
	<SBMainTransitionSwitcherModifierEvent: 0x28102d380; type: Main Transition; transitionID: DCCD6614-0F4E-4860-A31D-54BD37FCBD5; phase: Complete; animated: YES; fromAppLayout: 0x0; toAppLayout: <SBAppLayout: 0x28302ca00; primary: uk.co.dcsldt.remote; environment: main>; fromEnvironmentMode: home-screen; toEnvironmentMode: application; pendingTermination: {	
	>>)	
default	08:38:22.916036 SpringBoard [Main] handle response:	
	<SBSwitcherModifierEventResponse: 0x282599890> {	
	<SBPreemptAnimationSwitcherEventResponse: 0x282515e60>;	
	<SBSwitcherModifierEventResponse: 0x282599890> {	
	<SBInvalidateAdjustedApplayoutsSwitcherEventResponse: 0x282520e10>;	
	<SBSwitcherModifierEventResponse: 0x282521560> {	
	<SBRequestFolderSnapshotsSwitcherEventResponse: 0x282522430; snapshotRequested: NO>;	
	<SBIconOverlay/VisibilitySwitcherEventResponse: 0x283e87900; visible: NO; appLayout: <SBAppLayout: 0x28302ca00; primary: uk.co.dcsldt.remote; environment: main>>;	
	<SBIconView/VisibilitySwitcherEventResponse: 0x280b8e3f0; visible: YES; animationSettings: 0x0; appLayout: <SBAppLayout: 0x28302ca00; primary: uk.co.dcsldt.remote; environment: main>>;	
	<SBMatchMoveToIconViewSwitcherEventResponse: 0x283eedf40; active: NO; appLayout: <SBAppLayout: 0x28302ca00; primary: uk.co.dcsldt.remote; environment: main>>;	
	};	
	};	
default	08:38:22.919425 SpringBoard Removed: <UIApplicationSceneDeactivationAssertion: 0x2826c7120; reason: systemGesture; all scene levels; hasPredicate: NO>	
default	08:38:22.920428 Runner flutter: 2021-02-21 08:38:22.919791: StreamAPIClient: INFO: Subscribed to path docsworker/dcs/unitType.item	
default	08:38:22.922802 SpringBoard SBMainWorkspaceApplicationSceneLayoutElementViewController-sceneID:uk.co.dcsldt.remote-default shouldDisplayLayoutElementBecomeActive=YES because isEffectivelyForeground=YES isSuspendedUnderLock=NO sceneIDExists=<FScene: 0x281ca70d0, sceneID: sceneID.uk.co.dcsldt.remote-default; valid: YES>	
default	08:38:22.922879 SpringBoard	

default	08:38:22.924585 SpringBoard	sceneHandler=<SBDeviceApplicationSceneHandler: 0x1041b730, sceneID: sceneID.uk.co.dcsldt.remote-default; scenePointer: 0x281ca70d0, scene: <FBScene: 0x281ca70d0, sceneID: sceneID.uk.co.dcsldt.remote-default; valid: YES> {
		specification = UIApplicationSceneSpecification;
		settings = <UIApplicationSceneSettings: 0x28045db80> {
		displayConfiguration = <FBSDisplayConfiguration: 0x2812b4460; Main, mode: "375x667@2x 60Hz p3 SDR">;
		frame = {(0, 0), (375, 667)};
		level = 1.0;
		interfaceOrientation = portrait (1);
		foreground = YES;
		interruptionPolicy = default;
		isOccluded = BSSettingFlagNotSet;
		otherSettings = <BSSettings: 0x282d47440> {
		statusBarStyleOverrideToSuppress = (none);
		deactivationReasons = ;
		deviceOrientationEventsEnabled = YES;
		canShowAlerts = YES;
		userInterfaceStyle = light;
		peripheryInsets = UIEdgeInsetssets: {0, 0, 0, 0};
		deviceOrientation = portrait (1);
default	08:38:22.928127 SpringBoard	End requiring home screen content for reason 'SBDeckSwitcherViewController-0x1010b9800-Main'
default	08:38:22.928231 runningboardd	Invalidating assertion 34-21838-387227 (target:[application<uk.co.dcsldt.remote>-21838]) from originator [application<uk.co.dcsldt.remote>-21838]
default	08:38:22.929365 SpringBoard	Front display did change: <SBApplication: 0x2850900d0; uk.co.dcsldt.remote>
default	08:38:22.929603 SpringBoard	0x2831de940 reconfigured attention timeouts: {
		<TIDleTimeout: 0x282d3ab80, identifier: 1, duration: 40.0s>;
		<TIDleTimeout: 0x282d3b420, identifier: 2, duration: 42.0s>;
		<TIDleTimeout: 0x282d392c0, identifier: 3, duration: 60.0s>
		}
default	08:38:22.930139 backboardd	RemoteClient.m:603 : 313252.56948: Info: reset attention lost timeout for com.apple.springboard.GlobalBacklightIdleTimer at 313252.56948
default	08:38:22.930233 backboardd	RemoteClient.m:334 : 313252.56954: Info: updated config <AWRemoteClient: 0x10b109dd0> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 40, 42, 60 notificationMask NONE mask AttentionLost[Button Keyboard Digitizer Pointer GameController MesaTouch Gen
default	08:38:22.930396 SpringBoard	<0x2831dc880> - reconfigure attention client with configuration:<AWAttentionAwarenessConfiguration: 0x2803a6840> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 42, 00000, 40, 00000, 60, 00000 notificationMask NONE mask Button Keyboard Digitizer P
default	08:38:22.930844 SpringBoard	activity is unchanged, still disabled
default	08:38:22.930984 SpringBoard	lock/volume priority is: volume
default	08:38:22.932968 appstore	boringsst_context_info_handler(1836) [C168.1.2][0x1016605f0] Client handshake state: TLS 1.3 client read_server_certificate
default	08:38:22.933010 appstore	boringsst_context_info_handler(1836) [C168.1.2][0x1016605f0] Client handshake state: TLS 1.3 client read_server_certificate_verify
default	08:38:22.933889 appstore	boringsst_context_evaluate_trust_async(1510) [C168.1.2][0x1016605f0] Performing external trust evaluation
default	08:38:22.934072 appstore	boringsst_context_evaluate_trust_async_external(1495) [C168.1.2][0x1016605f0] Asyncing for external verify block
default	08:38:22.934200 appstore	Connection 168: asked to evaluate TLS Trust
default	08:38:22.938959 SpringBoard	End requiring home screen content for reason 'SBUIHomeScreenActiveContentRequirementReason'
default	08:38:22.939094 SpringBoard	Tearing down home screen
default	08:38:22.939552 SpringBoard	<SBHWidgetStackViewController:0x1018a0000> -[SBHWidgetStackViewController viewWillDisappear:]
default	08:38:22.939851 SpringBoard	viewWillDisappear:0 SBHWidgetStackViewController
default	08:38:22.941383 SpringBoard	<SBHWidgetStackViewController:0x1018a0000> -[SBHWidgetStackViewController viewDidAppear:]
default	08:38:22.942078 SpringBoard	Stopping device motion, mode=0x22
default	08:38:22.942318 SpringBoard	["msg": "CL GyroBiasEstimatorClientRemote:unregisterWithGyroBiasEstimatorPrivate", "event": "activity", "client": "0x282b06000"]
default	08:38:22.942667 SpringBoard	[0x1020997a0-210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Clearing any touch delivery policies
default	08:38:22.943047 trustd	cert[0]: LeafMarkersProdAndQA =(leaf)[force]> 0
default	08:38:22.943307 runningboardd	Invalidating assertion 34-12862-387222 (target:[daemon<com.apple.chronod>-12859][UIScene:com.apple.frontboard.systemapperservices:210DA6BF-4557-4244-8291-05DA55FF2125%3A0x1020997a0]) from originator [daemon<com.apple.SpringBoard>-12862]
default	08:38:22.943434 trustd	cert[0]: LeafMarkersProdAndQA =(leaf)[force]> 0
default	08:38:22.943637 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (GyroProperties = {
		GyroFactoryMode = 0;
		GyroMeasurementRange = 2000;
		GyroXAxisOffset = 0;
		GyroYAxisOffset = 0;
		GyroZAxisOffset = 0;
		}) was set successfully
default	08:38:22.945278 SpringBoard	<SBHMultiplexingManager:0x283e4f040> removing multiplexing view controller controller <SBHMultiplexingViewController:0x10e64720> for 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:22.945568 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (ReportInterval = 0) was set successfully
default	08:38:22.945998 backboardd	0x1000004c8: set report interval:0 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.946091 SpringBoard	<SBHMultiplexingManager:0x283e4f040> Caching recent view controller for identifier: 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:22.949047 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (GyroExtLevelTriggerSync = 0) was set successfully
default	08:38:22.949227 backboardd	0x1000004c8: set batch interval:15000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.949284 SpringBoard	<SBHMultiplexingManager:0x283e4f040> removed view controller controller <CHUIAvocadoHostViewController:0x1020997a0> for 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:22.949443 SpringBoard	<SBHMultiplexingManager:0x283e4f040> active view controller changed from <SBHMultiplexingViewController:0x10e64720> to NONE for 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:22.949496 SpringBoard	<SBHMultiplexingManager:0x283e4f040> active view controller changed from <SBHMultiplexingViewController:0x10e64720> to NONE for 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:22.949581 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (BatchInterval = 15000) was set successfully
default	08:38:22.950027 trustd	Leaf has invalid basic constraints
default	08:38:22.950224 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 3): (ReportInterval = 0) was set successfully
default	08:38:22.950404 SpringBoard	viewDidAppear:0 SBHWidgetStackViewController
default	08:38:22.950455 backboardd	0x10000050c: set report interval:0 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.950974 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 3): (BatchInterval = 10000) was set successfully
default	08:38:22.951198 backboardd	0x10000050c: set batch interval:10000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.951242 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (GyroProperties = {
		GyroFactoryMode = 0;
		GyroMeasurementRange = 2000;
		GyroXAxisOffset = 0;
		GyroYAxisOffset = 0;
		GyroZAxisOffset = 0;
		}) was set successfully
default	08:38:22.951405 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (ReportInterval = 0) was set successfully
default	08:38:22.951487 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (GyroExtLevelTriggerSync = 0) was set successfully
default	08:38:22.951620 SpringBoard	Deactivating wallpaper orientation source SBUIController
default	08:38:22.951661 SpringBoard	Enabling home screen icon rotation for reason: SBAppToAppWorkspaceTransaction
default	08:38:22.951704 SpringBoard	[CLoHidInterface] Property for usage pair (65280, 9): (BatchInterval = 15000) was set successfully

default	08:38:22.952356	backgroundd	Ox1000004c8: set report interval:0 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.952514	backgroundd	Ox1000004c8: set batch interval:15000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:22.953444	SpringBoard	No need for mass dismissal of all presented icon view context menus: ({
)}
default	08:38:22.953790	trustd	Leaf has invalid basic constraints
default	08:38:22.954401	chronod	No powerlog update entries to flush.
default	08:38:22.954483	chronod	Flushed 10 powerlog view entries.
default	08:38:22.954533	trustd	ocsp responder: (null) did not include status of requested cert
default	08:38:22.954582	locationd	#Warning Location connection invalid!
default	08:38:22.954732	locationd	["msg":"CLConnection:handleDisconnection", "event":"activity"]
default	08:38:22.954779	locationd	Client com.apple.springboard disconnected
default	08:38:22.955421	locationd	os_transaction released: <private> <private>
default	08:38:22.955508	locationd	CLGyroBiasEstimator.SPUEnabled:0, BuildingGYTT:0, NumClients:0
default	08:38:22.956148	trustd	cert[0]: AnchorApple =(path[])> 0
default	08:38:22.956540	locationd	["msg":"state transition", "event":"state_transition", "state":"DaemonClient", "id":"0x1079699e0", "property":"lifecyle", "old":"0x1079699e0", "new":"0x0"]
default	08:38:22.958410	trustd	cert[0]: AnchorApple =(path[])> 0
default	08:38:22.958505	trustd	cert[0]: IntermediateMarkerOld =(path)[force]> 0
default	08:38:22.960918	appstored	Connection 168: TLS Trust result 0
default	08:38:22.960973	appstored	boringsssl_context_evaluate_trust_async_external_block_invoke_3(1451) [C168.1.2][0x10166050] Returning from external verify block with result: true
default	08:38:22.961081	appstored	boringsssl_context_certificate_verify_callback(1609) [C168.1.2][0x10166050] Certificate verification result: OK
default	08:38:22.961748	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client read_server_finished
default	08:38:22.962157	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client send_end_of_early_data
default	08:38:22.962199	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client send_client_certificate
default	08:38:22.962433	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client complete_second_flight
default	08:38:22.962535	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS 1.3 client done
default	08:38:22.962847	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS client finish_client_handshake
default	08:38:22.963032	appstored	boringsssl_context_info_handler(1836) [C168.1.2][0x10166050] Client handshake state: TLS client done
default	08:38:22.963080	appstored	boringsssl_context_info_handler(1826) [C168.1.2][0x10166050] Client handshake done
default	08:38:22.963788	appstored	nv_protocol_boringsssl_signal_connected(734) [C168.1.2][0x10166050] TLS connected [version(0x0304) ciphersuite(TLS_AES_256_GCM_SHA384) group(0x001d) signature_alg(0x0804) alpn(ht2) resumed(0) offered_ticket(0) false_started(0) ocsp_received(1) sct_received(0) connect_time(120ms) flight_time(56ms) rtt(28ms) write_stalls(0) read_stalls(7)]
default	08:38:22.964071	appstored	nv_flow_connected [C168.1.1] IPv4#91dabc27-443 in_progress channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns) Output protocol connected
default	08:38:22.964316	appstored	[C168.1.1] IPv4#91dabc27-443 ready channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns) event: flow.finish_connect @0.329s
default	08:38:22.964514	appstored	nv_connection_report_state_with_handler_on_nv_queue [C168] reporting state ready
default	08:38:22.964561	appstored	[C168 Hostname#da4eb5c8-443 ready resolver (satisfied (Path is satisfied), interface: en0, ipv4, dns) event: flow.finish_connect @0.330s
default	08:38:22.964796	appstored	[C168.1.1] IPv4#91dabc27-443 ready channel-flow (satisfied (Path is satisfied), viable, interface: en0, ipv4, dns) event: flow.changed_viability @0.330s
default	08:38:22.964856	appstored	[C168 Hostname#da4eb5c8-443 ready resolver (satisfied (Path is satisfied), interface: en0, ipv4, dns) event: flow.changed_viability @0.330s
default	08:38:22.965028	appstored	Connection 168: connected successfully
default	08:38:22.965151	appstored	Connection 168: TLS handshake complete
default	08:38:22.965648	appstored	Connection 168: ready C(N) E(N)
default	08:38:22.966581	appstored	Task <0A8E6784-1289-4F99-A2F8-FFFC3B6B1B20> <1> now using Connection 168
default	08:38:22.967116	appstored	Connection 168: received viability advisory(Y)
default	08:38:22.967662	appstored	Task <0A8E6784-1289-4F99-A2F8-FFFC3B6B1B20> <1> sent request, body S 650
default	08:38:22.968080	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene lifecycle state did change: Background
default	08:38:22.968190	SpringBoard	[daemon-com.apple.chronod-12859] Setting process visibility to: Background
default	08:38:22.968362	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Sending scene action [Logical Deactivate][0x336] to process 0x100c2fa50
default	08:38:22.970342	chronod	[com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] Scene for widget did enter background
default	08:38:22.970454	chronod	[com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] - Starting snapshot.
default	08:38:22.970542	chronod	[com.apple.Music.MusicWidgets.Music.RecentlyPlayedWidget] - Starting snapshot.
default	08:38:22.971572	chronod	[com.apple.Music.MusicWidgets.Music.RecentlyPlayedWidget]: Snapshotted bailing. Identifiers match.
default	08:38:22.972110	Runner	flutter: 2021-02-21 08:38:22.970155: StreamAPIClient: INFO: Subscribed to path settings/mediaPlayer/mute.item
default	08:38:22.975662	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene action [Logical Deactivate][0x336] completed with success: 1
default	08:38:22.975766	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene assertion state did change: None.
default	08:38:22.975821	SpringBoard	[daemon-com.apple.chronod-12859] Workspace assertion state did change: None (acquireAssertion = NO).
default	08:38:22.976073	runningboardd	Invalidating assertion 34-12862-387221 (target:[daemon-com.apple.chronod-12859] from originator [daemon-com.apple.SpringBoard-12862]
default	08:38:22.976220	backgroundd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOfNo=1
default	08:38:22.977152	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene assertion state did change: BackgroundActive.
default	08:38:22.977335	SpringBoard	[daemon-com.apple.chronod-12859] Workspace assertion state did change: BackgroundActive (acquireAssertion = YES).
default	08:38:22.978150	runningboardd	Acquiring assertion targeting [daemon-com.apple.chronod-12859] from originator [daemon-com.apple.SpringBoard-12862] with description <RBSAssertionDescriptor "FBWorkspace (BackgroundActive)" ID:34-12862-387229 target:12859 attributes:[
			<RBSRunningReasonAttribute runningReason:1000!>.
			<RBSDefineRelativeStartTimeGrant>.
			<RBSGPUAccessGrant>.
			<RBSCPUAccessGrant role:NonUserInteractive>.
			<RBSJetsamPriorityGrant priority:Background>.
			<RBSResistTerminationGrant terminationResistance:NonInteractive>
			>]
default	08:38:22.978326	runningboardd	Assertion 34-12862-387229 (target:[daemon-com.apple.chronod-12859]) will be created as active
default	08:38:22.978429	SpringBoard	[0x1020997a0-210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Clearing any touch delivery policies
default	08:38:22.980400	runningboardd	[daemon-com.apple.chronod-12859] Ignoring jetsam update because this process is not memory-managed
default	08:38:22.980568	runningboardd	[daemon-com.apple.chronod-12859] Ignoring suspend because this process is not lifecycle managed
default	08:38:22.981021	runningboardd	[daemon-com.apple.chronod-12859] Ignoring role changes because this process is not role managed
default	08:38:22.981322	runningboardd	[daemon-com.apple.chronod-12859] Ignoring GPU update because this process is not GPU managed
default	08:38:22.981880	SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene assertion state did change: None.
default	08:38:22.981920	runningboardd	Finished acquiring assertion 34-12862-387229 (target:[daemon-com.apple.chronod-12859])
default	08:38:22.982086	SpringBoard	[daemon-com.apple.chronod-12859] Workspace assertion state did change: None (acquireAssertion = NO).
default	08:38:22.982587	runningboardd	Invalidating assertion 34-12862-387229 (target:[daemon-com.apple.chronod-12859] from originator [daemon-com.apple.SpringBoard-12862]
default	08:38:22.992069	backgroundd	[1.26.0] +[ASEProcessing shouldEnhanceWidth:height:destinationWidth:destinationHeight]: src=(750w x 1334h), dest=(750w x 1334h), aseFunctionOnYesOfNo=1
default	08:38:23.012508	Runner	flutter: 2021-02-21 08:38:23.012112: StreamAPIClient: INFO: Subscribed to path settings/mediaPlayer/playMode.item
default	08:38:23.035783	runningboardd	Removed last relative-start-date-defining assertion for process daemon-com.apple.chronod
default	08:38:23.045180	runningboardd	[daemon-com.apple.chronod-12859] Ignoring jetsam update because this process is not memory-managed
default	08:38:23.045264	runningboardd	[daemon-com.apple.chronod-12859] Ignoring suspend because this process is not lifecycle managed
default	08:38:23.045938	runningboardd	[daemon-com.apple.chronod-12859] Ignoring role changes because this process is not role managed
default	08:38:23.045978	runningboardd	[daemon-com.apple.chronod-12859] Ignoring GPU update because this process is not GPU managed
default	08:38:23.054985	Runner	flutter: 2021-02-21 08:38:23.054519: StreamAPIClient: INFO: Subscribed to path dsworker/dcs/settings/inputMode.item

default	08:38:23.108596	Runner	flutter: 2021-02-21 08:38:23.108174: StreamAPIClient: INFO: Subscribed to path dcsworker/dcs/inputSampleRateCurrent.item
default	08:38:23.162273	mDNSResponse [Q7684]	Received acceptable 79-byte response from <IPv4:BBPqQZ> over UDP via en08 - id: 0x3265 (12901), flags: 0x8180 (R/Query, RD, RA, NoError), counts: 1/2/0/0, BBSKsfxc INA?, 15 IN A BBRZISr, 15 IN A BBVCyQF
default	08:38:23.163017	mDNSResponse [Q7684]	Handling concluded querier: BBSKsfxc A IN
default	08:38:23.163216	mDNSResponse	mDNSCoreReceiveCacheCheck: rescuing RR <mask.hash: 'jvQ5YkSykiffQNPiBLw==>
default	08:38:23.163410	mDNSResponse	mDNSCoreReceiveCacheCheck: rescuing RR <mask.hash: 'SezpslEXYJGUFR8pgp5inA==>
default	08:38:23.165094	symptomsd	Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120051322/3925356, WiFi delta_in/delta_out: 107/75, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default	08:38:23.169662	Runner	flutter: 2021-02-21 08:38:23.168758: StreamAPIClient: INFO: Subscribed to path dcsworker/dcs/currentBillDepth.item
default	08:38:23.181076	backgroundd	EventStatistics.m:48 : 313252.82002: Info: 4 Digitizer since 313247.32641 (Sun Feb 21 08:38:17 2021)
default	08:38:23.220197	Runner	flutter: 2021-02-21 08:38:23.219241: StreamAPIClient: INFO: Subscribed to path dcsworker/dcs/controls/phase.item
default	08:38:23.274520	appstored	Task <0ABE6784-1289-4F99-A2F8-FFFC3B6B1B20><1> received response, status 200 content K
default	08:38:23.274843	Runner	flutter: 2021-02-21 08:38:23.273254: StreamAPIClient: INFO: Subscribed to path dcsworker/dcs/unitSettings/powerSleep.item
default	08:38:23.275544	appstored	Task <0ABE6784-1289-4F99-A2F8-FFFC3B6B1B20><1> done using Connection 168
default	08:38:23.276424	appstored	Task <0ABE6784-1289-4F99-A2F8-FFFC3B6B1B20><1> response ended
default	08:38:23.276810	appstored	Task <0ABE6784-1289-4F99-A2F8-FFFC3B6B1B20><1> summary for task success (transaction_duration_ms=644, response_status=200, connection=168, protocol="2", domain_lookup_duration_ms=168, connect_duration_ms=158, secure_connection_duration_ms=120, request_start_ms=334, request_duration_ms=0, response_start_ms=640, response_duration_ms=3, request_b
default	08:38:23.277341	appstored	AMURLSession: [IAP5E33E64B/uk.co.dcsldt.remote:1] Task received response
default	08:38:23.277702	appstored	AMURLProtocolHandler: [IAP5E33E64B/uk.co.dcsldt.remote:1] StatusCode: 200; <private>; Environment: (null)
default	08:38:23.297915	appstored	Starting save for account <private>.
default	08:38:23.300214	accountsd	<private> (<private>) received
default	08:38:23.302874	accountsd	Daemon save called for account <private>; username=<private>; client=<private> (17200), verify=0
default	08:38:23.302973	accountsd	Account type <private> does support multiples.
default	08:38:23.305316	accountsd	AMSAccountNotificationPlugin: [3A61BA35] Handling canSaveAccount, account = <CAccount: 0x10452550 type = iTunesStore backingID = 1265C885-0587-47D6-BE2C-B399CB883244 username = drdonati@mail.com altDSID = 000180-10-c84da86c-bafb-4731-b03b-2adaa3d18205 DSID = 72309671 active = true storefront = 143450-7.29>
default	08:38:23.307655	accountsd	AMSAccountNotificationPlugin: [3A61BA35] canSaveAccount = true
default	08:38:23.308208	accountsd	Updating existing account: <private>
default	08:38:23.310411	accountsd	The plugin for account <private> does not implement credentialForAccount
default	08:38:23.310561	accountsd	No plugin provides credentials for account <private>. Falling back to legacy behavior.
default	08:38:23.319437	accountsd	The plugin for account <private> does not implement credentialForAccount
default	08:38:23.319587	accountsd	No plugin provides credentials for account <private>. Falling back to legacy behavior.
default	08:38:23.320782	Runner	flutter: 2021-02-21 08:38:23.320311: StreamAPIClient: INFO: Subscribed to path dcsUIMenu/ui/currentDigital.item
default	08:38:23.321744	accountsd	in <private>
default	08:38:23.321781	accountsd	account <private>, ACAccountChangeType = 2
default	08:38:23.322158	accountsd	AMSAccountNotificationPlugin: [73D6DC51] Handling account.willChange, account = <CAccount: 0x10911aa0 type = iTunesStore backingID = 1265C885-0587-47D6-BE2C-B399CB883244 username = drdonati@mail.com altDSID = 000180-10-c84da86c-bafb-4731-b03b-2adaa3d18205 DSID = 72309671 active = true storefront = 143450-7.29> changeType = KACAccountC
default	08:38:23.327642	accountsd	AMSAccountNotificationPlugin: [73D6DC51] Finished processing account.willChange.
default	08:38:23.330602	accountsd	The plugin for account <private> does not implement credentialForAccount
default	08:38:23.330747	accountsd	No plugin provides credentials for account <private>. Falling back to legacy behavior.
default	08:38:23.356721	accountsd	Notifying client account stores of database change type 2 for identifiers: <private>
default	08:38:23.356778	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.356819	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.356859	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.356973	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.357024	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.360440	accountsd	client <private> is not monitoring for changes to accounts of type <private>.
default	08:38:23.360550	accountsd	Notified client account store of database change for identifiers: <private>
default	08:38:23.361680	accountsd	in <private>
default	08:38:23.361792	accountsd	account <private>, ACAccountChangeType = 2
default	08:38:23.362347	accountsd	AMSAccountNotificationPlugin: [1E3453FF] Handling account.didChange, changeType = <CAccount: 0x109141240 type = iTunesStore backingID = 1265C885-0587-47D6-BE2C-B399CB883244 username = drdonati@mail.com altDSID = 000180-10-c84da86c-bafb-4731-b03b-2adaa3d18205 DSID = 72309671 active = true storefront = 143450-7.29> account = KACAccountC
default	08:38:23.362533	accountsd	AMSAccountNotificationPlugin: [1E3453FF] Processing the change.
default	08:38:23.363275	accountsd	-[IDSAccountNotificationDelegate account:didChangeWithType:inStore:oldAccount:] invoked { self: 0x104430f90 }
default	08:38:23.363626	accountsd	AMSAccountNotificationPlugin: [1E3453FF] Refusing to post a com.apple.itunesstored.accountschanged notification because nothing on the account actually changed.
default	08:38:23.363947	heard	-[AXHASettings iCloudAccountDidChange:]_block_invoke:430 New iCloud 1
default	08:38:23.364581	accountsd	The plugin for account <private> does not implement credentialForAccount
default	08:38:23.364840	accountsd	No plugin provides credentials for account <private>. Falling back to legacy behavior.
default	08:38:23.366797	accountsd	iTunes account changed { oldAccount: <private>, newAccount: <private>, changeType: KACAccountChangeTypeModified, didSignin: NO, isinGoodStateForRepair: NO, didSignOut: NO }
default	08:38:23.366838	assetsd	PLAccountStore accountDidChange, clearing cached properties.
default	08:38:23.366899	assetsd	photoStreamAccountSettingsChanged
default	08:38:23.367121	assetsd	Clearing cached PLPhotoSharingHelper state
default	08:38:23.367200	atc	PLAccountStore accountDidChange, clearing cached properties.
default	08:38:23.367432	photoanalysisd	PLAccountStore accountDidChange, clearing cached properties.
default	08:38:23.367635	accountsd	<private> (<private>) received
default	08:38:23.367784	ind	PLAccountStore accountDidChange, clearing cached properties.
default	08:38:23.367935	mediaanalysisd	PLAccountStore accountDidChange, clearing cached properties.
default	08:38:23.368123	distnoted	unregister token: 17500000003 pid: 6753
default	08:38:23.369733	accountsd	AccountNotificationPlugin: Processing account change, Change type: 2
default	08:38:23.370066	accountsd	<private> (<private>) received
default	08:38:23.370508	accountsd	<private> (<private>) received
default	08:38:23.370742	accountsd	Account changed: 1265C885-0587-47D6-BE2C-B399CB883244
default	08:38:23.371650	accountsd	<private> (<private>) received
default	08:38:23.372323	accountsd	AMSAccountSyncNotificationPlugin: [B7C60257] Not syncing. Only the account's cookies (modified=1), enableCMLStateReason (modified=0) were changed. account = <CAccount: 0x10934c430 type = iTunesStore backingID = 1265C885-0587-47D6-BE2C-B399CB883244 username = drdonati@mail.com altDSID = 000180-10-c84da86c-bafb-4731-b03b-2adaa3d18205 DSID =
default	08:38:23.373562	accountsd	<private> (<private>) received
default	08:38:23.374149	accountsd	TIMING: Daemon save took 0.06345593929290771
default	08:38:23.374192	appstored	Completed account save: YES - (null).
default	08:38:23.374759	accountsd	AMSAccountNotificationPlugin: [1E3453FF] Finished processing account.didChange:..
default	08:38:23.375920	fmfd	Received iCloud account changed notification: <private>
default	08:38:23.376224	appstored	Task <0ABE6784-1289-4F99-A2F8-FFFC3B6B1B20><1> finished successfully
default	08:38:23.376344	appstored	AMURLSession: [IAP5E33E64B/uk.co.dcsldt.remote:1] Task finished loading
default	08:38:23.376432	accountsd	<private> (<private>) received
default	08:38:23.376574	appstored	AMURLSession: [IAP5E33E64B/uk.co.dcsldt.remote:1] Task completed successfully
default	08:38:23.376672	appstored	[IAP5E33E64B/uk.co.dcsldt.remote:1] Found 0 transactions in pending queue
default	08:38:23.377157	symptomsd	0x10de12780 keys: {
default	08:38:23.377322	symptomsd	Operating on async key: auditableLinkQuality
default	08:38:23.377926	symptomsd	0x10de12780 keys: {


```

applicationDate = "0001-01-01 00:00:00 +0000";
lastCircleStatus = 0;
lastWritten = "2021-02-21 07:38:23 +0000";
pendingApplicationReminder = "4001-01-01 00:00:00 +0000";
pendingApplicationReminderAlertInterval = 86400;
}
default 08:38:23.931758 backboardd Lcurrent=105.7788 Lr=0.1235 DR=200.0000 factor=0.0000
default 08:38:23.937586 CircleJoinRequest: follow up should be resolved
default 08:38:23.938608 securityd BEGIN [770]: SOSSignpostNameSOSCCopyApplicantPeerInfo enableTelemetry=YES
default 08:38:23.939238 securityd Starting as member v:(AccessoryPairing, AppleTV, BackupBagV0, ContinuityUnlock, CreditCards, HomeKit, NanoRegistry, OtherSyncable, PCS-Backup, PCS-CloudKit, PCS-Escrow, PCS-FDE, PCS-Feldspar, PCS-Maildrop, PCS-MasterKey, PCS-Notes, PCS-Photos, PCS-Sharing, PCS-iCloudDrive, PCS-iMessage, Passwords, WatchMigration, WiFi, iCloudIdentity))
default 08:38:23.941890 securityd Finished as member v:(AccessoryPairing, AppleTV, BackupBagV0, ContinuityUnlock, CreditCards, HomeKit, NanoRegistry, OtherSyncable, PCS-Backup, PCS-CloudKit, PCS-Escrow, PCS-FDE, PCS-Feldspar, PCS-Maildrop, PCS-MasterKey, PCS-Notes, PCS-Photos, PCS-Sharing, PCS-iCloudDrive, PCS-iMessage, Passwords, WatchMigration, WiFi, iCloudIdentity))
default 08:38:23.942201 securityd END [770] 0.003414s: SOSSignpostNameSOSCCopyApplicantPeerInfo SOSSignpostNameSOSCCopyApplicantPeerInfo=___#___signpost.telemetry#___#number1#___#1#___#___#
default 08:38:23.944503 CircleJoinRequest: ACC token 32, status 0
default 08:38:23.944600 CircleJoinRequest: No applicants
default 08:38:23.945108 CircleJoinRequest: Done
default 08:38:23.948378 backboardd Lcurrent=105.7788 Lr=0.1236 DR=200.0000 factor=0.0000
default 08:38:23.962589 Runner flutter: 2021-02-21 08:38:23.961989: StreamAPIClient: INFO: Subscribed to path playlists.pq/getitems.item
default 08:38:23.965041 backboardd Lcurrent=105.7788 Lr=0.1237 DR=200.0000 factor=0.0000
default 08:38:23.981654 backboardd Lcurrent=105.7788 Lr=0.1238 DR=200.0000 factor=0.0000
default 08:38:23.991152 mDNSResponse [R107770] DNSServiceBrowse(0, 0, <mask.hash: 'SdGfPDSYYPBIN0Y3hUkb==>', <mask.hash: 'qL8lsdJROWG76MLY7VwCw==>') START PID[21838](Runner)
default 08:38:23.991204 mDNSResponse [R107770] DNSServiceBrowse Start WAB PID[21838](Runner)
default 08:38:23.991351 mDNSResponse <private>
default 08:38:23.991395 mDNSResponse <private>
default 08:38:23.991709 mDNSResponse <private>
default 08:38:23.991749 mDNSResponse <private>
default 08:38:23.992333 mDNSResponse <private>
default 08:38:23.992377 mDNSResponse <private>
default 08:38:23.992538 mDNSResponse <private>
default 08:38:23.992580 mDNSResponse <private>
default 08:38:23.992617 mDNSResponse <private>
default 08:38:23.992653 mDNSResponse <private>
default 08:38:23.992731 mDNSResponse <private>
default 08:38:23.992769 mDNSResponse <private>
default 08:38:23.992805 mDNSResponse <private>
default 08:38:23.992840 mDNSResponse <private>
default 08:38:23.992875 mDNSResponse <private>
default 08:38:23.992912 mDNSResponse <private>
default 08:38:23.992985 mDNSResponse <private>
default 08:38:23.993022 mDNSResponse <private>
default 08:38:23.993058 mDNSResponse <private>
default 08:38:23.993098 mDNSResponse <private>
default 08:38:23.993163 mDNSResponse <private>
default 08:38:23.993739 mDNSResponse <private>
default 08:38:23.993793 mDNSResponse <private>
default 08:38:23.993843 mDNSResponse <private>
default 08:38:23.997034 mDNSResponse mDNS_StartQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 4 <mask.hash: 'zqkZ2ppqNnaFpOMTgMNA==>' (PTR)
default 08:38:23.998344 backboardd Lcurrent=105.7788 Lr=0.1239 DR=200.0000 factor=0.0000
default 08:38:24.008399 Runner flutter: Discovery Running? true
default 08:38:24.008575 Runner flutter: 2021-02-21 08:38:24.008403: StreamAPIClient: INFO: Subscribed to path dcsUIMenu/settings.rows
default 08:38:24.014503 backboardd Lcurrent=105.7788 Lr=0.1240 DR=200.0000 factor=0.0000
default 08:38:24.031702 backboardd Lcurrent=105.7788 Lr=0.1241 DR=200.0000 factor=0.0000
default 08:38:24.033489 Runner flutter: 2021-02-21 08:38:24.033196: StreamAPIClient: INFO: Subscribed to path playlists.pq/getlistbyname.rows
default 08:38:24.048569 backboardd Lcurrent=105.7788 Lr=0.1242 DR=200.0000 factor=0.0000
default 08:38:24.065227 backboardd Lcurrent=105.7788 Lr=0.1243 DR=200.0000 factor=0.0000
default 08:38:24.082540 backboardd Lcurrent=105.7788 Lr=0.1244 DR=200.0000 factor=0.0000
default 08:38:24.098911 backboardd Lcurrent=105.7788 Lr=0.1245 DR=200.0000 factor=0.0000
default 08:38:24.115242 backboardd Lcurrent=105.7788 Lr=0.1246 DR=200.0000 factor=0.0000
default 08:38:24.132020 backboardd Lcurrent=105.7788 Lr=0.1247 DR=200.0000 factor=0.0000
default 08:38:24.148727 backboardd Lcurrent=105.7788 Lr=0.1248 DR=200.0000 factor=0.0000
default 08:38:24.165295 backboardd Lcurrent=105.7788 Lr=0.1249 DR=200.0000 factor=0.0000
default 08:38:24.181722 backboardd Lcurrent=105.7788 Lr=0.1250 DR=200.0000 factor=0.0000
default 08:38:24.183381 mDNSResponse [R0->Q0] mDNSCoreReceiveResponse: Accepting response for query: <mask.hash: 'zqkZ2ppqNnaFpOMTgMNA==>' (PTR)
default 08:38:24.183457 mDNSResponse [R107770->Q0] DNSServiceBrowse(<mask.hash: 'zqkZ2ppqNnaFpOMTgMNA==>', PTR) RESULT ADD interface 8: <mask.hash: '5ZBnmNnrqDUMo7y053oQQ==>'
default 08:38:24.184741 mDNSResponse [R107771] DNSServiceCreateConnection START PID[21838](Runner)
default 08:38:24.184870 mDNSResponse [R107772] DNSServiceResolve(4000, 0, <mask.hash: 'KKX/O7mPrSz0bsspd2brfg==>') START PID[21838](Runner)
default 08:38:24.188261 mDNSResponse mDNS_StartQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 5 <mask.hash: 'KKX/O7mPrSz0bsspd2brfg==>' (SRV)
default 08:38:24.188389 mDNSResponse mDNS_StartQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 6 <mask.hash: 'KKX/O7mPrSz0bsspd2brfg==>' (TXT)
default 08:38:24.188592 mDNSResponse <private>
default 08:38:24.188633 mDNSResponse <private>
default 08:38:24.188720 mDNSResponse [R107772->Q0] DNSServiceResolve(<mask.hash: 'HyzkVqFnAPbwWs9R0cOxEw==>') RESULT <mask.hash: 'JYWzTc9ATvu7aCSEkxbw==>'>80
default 08:38:24.188883 mDNSResponse [R107773] DNSServiceQueryRecord(4000, 8, <mask.hash: 'JYWzTc9ATvu7aCSEkxbw==>', Addr) START PID[21838](Runner)
default 08:38:24.192040 mDNSResponse mDNS_StartQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 7 <mask.hash: '9L5g25BGhpXvTF+wX2TXIQ==>' (Addr)
default 08:38:24.192094 mDNSResponse [R107773] QueryRecordOpStart: starting parallel unicast query for <mask.hash: 'pAKrp3GepECTTLWOCiLNw==>' SOA
default 08:38:24.196482 mDNSResponse [R107773->Q31310] Question for <mask.hash: 'pAKrp3GepECTTLWOCiLNw==>' (SOA) assigned DNS service -- id: 496, type: Do53, source: sc, scope: interface, interface: en0/8, servers: {<IPv4:BBPqqZt>:53}, domains: {}, attributes: {a-ok}, interface properties: {pv4}
default 08:38:24.196915 mDNSResponse [R107773->Q0] DNSServiceQueryRecord(<mask.hash: '9L5g25BGhpXvTF+wX2TXIQ==>', Addr) RESULT ADD interface 8: (mortal)<mask.hash: 'hxE807nq7I2pEm2Nj6CA==>'
default 08:38:24.197081 mDNSResponse [R107774] DNSServiceQueryRecord(4000, 8, <mask.hash: 'JYWzTc9ATvu7aCSEkxbw==>', AAAA) START PID[21838](Runner)
default 08:38:24.198836 backboardd Lcurrent=105.7788 Lr=0.1251 DR=200.0000 factor=0.0000
default 08:38:24.202509 mDNSResponse mDNS_StartQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 8 <mask.hash: '9L5g25BGhpXvTF+wX2TXIQ==>' (AAAA)
default 08:38:24.202578 mDNSResponse [R107774] QueryRecordOpStart: starting parallel unicast query for <mask.hash: 'pAKrp3GepECTTLWOCiLNw==>' SOA
default 08:38:24.203065 mDNSResponse [R107774->Q52082] Question for <mask.hash: 'pAKrp3GepECTTLWOCiLNw==>' (SOA) assigned DNS service 496
default 08:38:24.203218 mDNSResponse [R107774->Q0] DNSServiceQueryRecord(<mask.hash: '9L5g25BGhpXvTF+wX2TXIQ==>', AAAA) RESULT ADD interface 8: (mortal)<mask.hash: 'b0uToQ38feurRekxjIOXQ==>'
default 08:38:24.215107 backboardd Lcurrent=105.7788 Lr=0.1252 DR=200.0000 factor=0.0000

```



```

}, FinalDecision: Must Not Proceed]
default 08:38:24.740182 dasd com.apple.widget.com.apple.reminders.WidgetExtension::com.apple.reminders.widget:small:599107571048600019:([148.0-148.0]:20.2.DE5BA0{
  [name: WidgetRefreshPolicy, policyWeight: 0.010, response: {Decision: Must Not Proceed, Score: 0.00, Rationale: [(IndividualBalance == -2147483648)]}]
}, FinalDecision: Must Not Proceed]
default 08:38:24.745374 dasd com.apple.widget.com.apple.mobiletimer.WorldClockWidget::com.apple.mobiletimer.WorldClock:medium:8957435561183862130:([321.0-148.0]:20.2.D4F5A1{
  [name: WidgetRefreshPolicy, policyWeight: 0.010, response: {Decision: Must Not Proceed, Score: 0.00, Rationale: [(IndividualBalance == -2147483648)]}]
}, FinalDecision: Must Not Proceed]
default 08:38:24.745689 symptomsd L2 Metrics on en0: rssi: -50 [-54, -52] -> -50, snr: 37 [cca [wake/total] self/other/inf]: [6, 0]/[3, 0]/[0, 10] (txFrames/bRx/bFail): 4935/1950 -> (was/is) 0/0
default 08:38:24.746002 symptomsd Received Wi-Fi Assist Override along with LQM info: 0
default 08:38:24.748204 backboardd Lcurrent=105.7788 Lr=0.1285 DR=200.0000 factor=0.0000
default 08:38:24.748389 wifiid <private>
default 08:38:24.750430 dasd com.apple.widget.com.apple.mobileslideshow.PhotosReliveWidget::com.apple.mobileslideshow.PhotosReliveWidget:small:([148.0-148.0]:20.2.DF0ED9{
  [name: WidgetRefreshPolicy, policyWeight: 0.010, response: {Decision: Must Not Proceed, Score: 0.00, Rationale: [(IndividualBalance == 0)]}]
}, FinalDecision: Must Not Proceed]
default 08:38:24.754065 dasd com.apple.widget.com.apple.weather.widget::com.apple.weather:small:-3497119714160351042:([148.0-148.0]:20.2.100A86{
  [name: WidgetRefreshPolicy, policyWeight: 0.010, response: {Decision: Must Not Proceed, Score: 0.00, Rationale: [(IndividualBalance == 0)]}]
}, FinalDecision: Must Not Proceed]
default 08:38:24.754380 wifiid <private>
default 08:38:24.755421 dasd com.apple.widget.com.apple.Maps.GeneralMapsWidget::com.apple.Maps:medium:([321.0-148.0]:20.2.BFOCE5{
  [name: WidgetRefreshPolicy, policyWeight: 0.010, response: {Decision: Must Not Proceed, Score: 0.00, Rationale: [(IndividualBalance == 0)]}]
}, FinalDecision: Must Not Proceed]
default 08:38:24.756199 dasd Attempting to suspend based on triggers: ( "com.apple.das.apppolicy.appchanged" )
default 08:38:24.757475 dasd com.apple.email.searchableIndex.scheduler.budgeted.BAE85A{
  [name: BatteryLevelPolicy, policyWeight: 1.000, response: {Decision: Can Proceed, Score: 0.76, Rationale: [(batteryLevel == 56)]}]
  [name: ChargerPluggedInPolicy, policyWeight: 10.000, response: {Decision: Can Proceed, Score: 0.50, Rationale: [(externalConnected == 0)]}]
}
sumScores:25.284550, denominator:30.520000, FinalDecision: Can Proceed FinalScore: 0.828458]
default 08:38:24.757660 dasd Recent Applications: <private>
default 08:38:24.758470 dasd Evaluating 11 activities based on triggers
default 08:38:24.766161 backboardd Lcurrent=105.7788 Lr=0.1286 DR=200.0000 factor=0.0000
default 08:38:24.782134 backboardd Lcurrent=105.7788 Lr=0.1287 DR=200.0000 factor=0.0000
default 08:38:24.798515 backboardd Lcurrent=105.7788 Lr=0.1288 DR=200.0000 factor=0.0000
default 08:38:24.815219 backboardd Lcurrent=105.7788 Lr=0.1289 DR=200.0000 factor=0.0000
default 08:38:24.832094 backboardd Lcurrent=105.7788 Lr=0.1290 DR=200.0000 factor=0.0000
default 08:38:24.848625 backboardd Lcurrent=105.7788 Lr=0.1291 DR=200.0000 factor=0.0000
default 08:38:24.865392 backboardd Lcurrent=105.7788 Lr=0.1292 DR=200.0000 factor=0.0000
default 08:38:24.874204 kernel 313254.512 memorystatus: killing_idle_process pid 21778 [remotemanagementd] (vm-compressor-thrashing 0) 1888KB - memorystatus_available_pages: 23183
default 08:38:24.874700 apsd peer(21778) received XPC_ERROR_CONNECTION_INVALID
default 08:38:24.874801 apsd peer(21778) received XPC_ERROR_CONNECTION_INVALID
default 08:38:24.880955 backboardd Lcurrent=105.7788 Lr=0.1293 DR=200.0000 factor=0.0000
default 08:38:24.898878 backboardd Lcurrent=105.7788 Lr=0.1294 DR=200.0000 factor=0.0000
default 08:38:24.915335 backboardd Lcurrent=105.7788 Lr=0.1295 DR=200.0000 factor=0.0000
default 08:38:24.931408 backboardd Lcurrent=105.7788 Lr=0.1296 DR=200.0000 factor=0.0000
default 08:38:24.947819 backboardd Lcurrent=105.7788 Lr=0.1297 DR=200.0000 factor=0.0000
default 08:38:24.965256 backboardd Lcurrent=105.7788 Lr=0.1298 DR=200.0000 factor=0.0000
default 08:38:24.975486 Runner Received memory warning.
default 08:38:24.981899 backboardd Lcurrent=105.7788 Lr=0.1300 DR=200.0000 factor=0.0000
default 08:38:24.983060 Runner Received memory warning.
default 08:38:24.998377 backboardd Lcurrent=105.7788 Lr=0.1301 DR=200.0000 factor=0.0000
default 08:38:25.015084 backboardd Lcurrent=105.7788 Lr=0.1302 DR=200.0000 factor=0.0000
default 08:38:25.029667 remotemanagementd Crippled daemon, this feature is not available.
default 08:38:25.030821 backboardd Lcurrent=105.7788 Lr=0.1303 DR=200.0000 factor=0.0000
default 08:38:25.048408 backboardd Lcurrent=105.7788 Lr=0.1304 DR=200.0000 factor=0.0000
default 08:38:25.064893 backboardd Lcurrent=105.7788 Lr=0.1305 DR=200.0000 factor=0.0000
default 08:38:25.074062 kernel EXC_RESOURCE -> Runner[21838] exceeded mem limit: ActiveHard 1450 MB (fatal)
default 08:38:25.084474 kernel 313254.718 memorystatus: killing_specific_process pid 21838 [Runner] (per-process-limit 10) 150064KB - memorystatus_available_pages: 21407
default 08:38:25.085075 backboardd ImageQueueCollectable client message err=0x10000003
default 08:38:25.085144 backboardd Connection removed: IOHIDEventSystemConnection uuid:D794C7D0-B73E-4B15-88FB-2DFOF1983C17 pid:21838 process:Runner type:Passive entitlements:0x0 caller:BackBoardServices: <redacted> + 284 attributes{
  HighFrequency = 0;
  bundleID = "uk.co.dcsldt.remote";
  pid = 21838;
  } state 0x1 events:0 mask:0x0
default 08:38:25.085214 backboardd Lcurrent=105.7788 Lr=0.1306 DR=200.0000 factor=0.0000
default 08:38:25.088127 appstored StoreKitServiceListener: Connection to Runner invalidated
default 08:38:25.088699 mDNSResponder <private>
default 08:38:25.088744 mDNSResponder <private>
default 08:38:25.088782 mDNSResponder <private>
default 08:38:25.089238 backboardd HIDAnalytics Unregister Send event com.apple.hid.queueUsage
default 08:38:25.089845 SpringBoard [application-uk.co.dcsldt.remote>21838] Workspace connection invalidated.
default 08:38:25.091731 SpringBoard [application-uk.co.dcsldt.remote>21838] Now flagged as pending exit for reason: workspace client connection invalidated
default 08:38:25.092634 SpringBoard Updating configuration of monitor <RBSProcessMonitorConfiguration| id:MI2862-7 qos:25 predicates:[<RBSProcessPredicate <RBSCompoundPredicate [<RBSCompoundPredicate [<RBSProcessBKSLegacyPredicate>, <RBSProcessEUIDPredicate 501>]>], <RBSProcessBundleIdentifierPredicate "com.apple.springboard">]>] descriptor:<RBSProcessStateDescriptor| values:9 names
default 08:38:25.094157 UserEventAgent kernel jetsam snapshot note received
default 08:38:25.094525 mDNSResponder <private>
default 08:38:25.094705 mDNSResponder <private>
default 08:38:25.098324 mDNSResponder <private>
default 08:38:25.098417 mDNSResponder <private>
default 08:38:25.098498 mDNSResponder <private>
default 08:38:25.098580 mDNSResponder <private>
default 08:38:25.098704 mDNSResponder <private>
default 08:38:25.098788 mDNSResponder <private>
default 08:38:25.098997 backboardd Lcurrent=105.7788 Lr=0.1307 DR=200.0000 factor=0.0000
default 08:38:25.099040 kernel tcp_timers: tcp_output() returned 0 with retransmission timer disabled for 59835 > 50161 in state 4, reset timer to 1658
default 08:38:25.099820 osanalyticshelpd starting prolongation transaction timer

```

default	08:38:25.100747	mDNSResponse <private>	
default	08:38:25.100784	mDNSResponse <private>	
default	08:38:25.100821	mDNSResponse <private>	
default	08:38:25.100858	mDNSResponse <private>	
default	08:38:25.100895	mDNSResponse <private>	
default	08:38:25.100931	mDNSResponse <private>	
default	08:38:25.100970	mDNSResponse <private>	
default	08:38:25.101007	osanalytics:helpde Attempting to write jetsam report	
default	08:38:25.101308	mDNSResponse <private>	
default	08:38:25.101546	mDNSResponse <private>	
default	08:38:25.101593	mDNSResponse <private>	
default	08:38:25.101631	mDNSResponse <private>	
default	08:38:25.101681	osanalytics:helpde Process Runner [21838] killed by jetsam reason per-process-limit	
default	08:38:25.104234	mDNSResponse <private>	
default	08:38:25.104279	mDNSResponse <private>	
default	08:38:25.104426	mDNSResponse <private>	
default	08:38:25.104560	mDNSResponse [R107770] DNSServiceBrowse(0, 0, {"mask.hash": "zqxZ2ppqNnaf9pOMTgMNA=="}) STOP PID[21838](Runner)	
default	08:38:25.106350	mDNSResponse mDNS_StopQuery_internal: NumAllInterfaceRecords 19 NumAllInterfaceQuestions 3 {"mask.hash": "zqxZ2ppqNnaf9pOMTgMNA=="}) (PTR)	
default	08:38:25.108597	ReportCrash Launched ReportCrash to service - com.apple.ReportCrash	
default	08:38:25.108713	ReportCrash Trying to create CR directory structure as root	
default	08:38:25.109228	osanalytics:helpde Report of type '298(298)' not saved because the limit of 25 logs has been reached	
default	08:38:25.112326	runningboardd 502F5A96-E363-447C-A5D0-C21A7D5ACD21 monitor: got an update with state 4	
default	08:38:25.112741	runningboardd [application-uk.co.dcsldt.remote>-21838] termination reported by launchd (1, 7, 9)	
default	08:38:25.113051	runningboardd Removing process: [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.113889	runningboardd Removing launch job for: [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.114654	runningboardd <OSLaunchJob handle=502F5A96-E363-447C-A5D0-C21A7D5ACD21>: remove succeeded	
default	08:38:25.114694	runningboardd Removed job for [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.114765	runningboardd Removing assertions for terminated process: [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.114993	runningboardd Removed last relative-start-date-defining assertion for process application-uk.co.dcsldt.remote>	
default	08:38:25.115205	backboardd Lcurrent=105.7788 Lr=0.1309 DR=200.0000 factor=0.0000	
default	08:38:25.134310	backboardd new resolutions for pid:21838 (<=>display: builtin; environment: keyboardFocus; pid: 21838; token: com.apple.frontboard.systemappservices:sceneID#3Auk.co.dcsldt.remote-default#>)	
default	08:38:25.134445	runningboardd Calculated state for application-uk.co.dcsldt.remote>: none (role: None)	
default	08:38:25.134697	runningboardd Calculated state for application-uk.co.dcsldt.remote>: none (role: None)	
default	08:38:25.134737	SpringBoard HW kbd: Failed to set keyboard focus pid:0 (null) scene:(null)	
default	08:38:25.135835	SpringBoard Firing exit handlers for 21838 with context <RBSProcessExitContext> specific, status:<RBSProcessExitStatus> domain:jetsam(1) code:per-process-limit(7)>>	
default	08:38:25.136042	SpringBoard [application-uk.co.dcsldt.remote>-21838] Process exited: <RBSProcessExitContext> specific, status:<RBSProcessExitStatus> domain:jetsam(1) code:per-process-limit(7)>>	
default	08:38:25.136088	SpringBoard [application-uk.co.dcsldt.remote>-21838] Setting process task state to: Not Running	
default	08:38:25.136134	SpringBoard [application-uk.co.dcsldt.remote>-21838] Setting process visibility to: Unknown	
default	08:38:25.136211	SpringBoard change foreground process from list:(null)	
default	08:38:25.136301	SpringBoard didSelectKeyboardFocusProcess:(null) token:(null)	
default	08:38:25.136351	SpringBoard [application-uk.co.dcsldt.remote>-21838] Invalidating workspace.	
default	08:38:25.136437	SpringBoard Removing workspace registration for process:handle: [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.136553	runningboardd XPC connection invalidated: [application-uk.co.dcsldt.remote>-21838]	
default	08:38:25.136775	SpringBoard updateKeyboardFocusDeferringRules: SpringBoard gets focus for reasons:(noKeyboardFocusProcess)	
default	08:38:25.136869	SpringBoard Removing: <FBApplicationProcess: 0x10c0fa30; application-uk.co.dcsldt.remote>-21838(vF8AB)>	
default	08:38:25.136954	SpringBoard Updating configuration of monitor <RBSProcessMonitorConfiguration> id:M12862-2 qos:25 predicates:[<RBSProcessPredicate <RBSProcessIdentifierPredicate> [21823]>>] descriptor:<RBSProcessStateDescriptor> [values:1] events:0x0>	
default	08:38:25.137139	SpringBoard Ignoring state for untracked process [application-uk.co.dcsldt.remote>-21838]: <RBSProcessState> task:none debug:none>	
default	08:38:25.137579	SpringBoard Process exited: <FBApplicationProcess: 0x10c0fa30; application-uk.co.dcsldt.remote>-21838(vF8AB)> -> <RBSProcessExitContext> specific, status:<RBSProcessExitStatus> domain:jetsam(1) code:per-process-limit(7)>>	
default	08:38:25.137667	backboardd new deferring rules for pid:12862: [
		<environment: system> -> <pid: 12862; token: 0xF7F497E1> reason: "1-deferDiscrete: systemGestures".	
		<environment: keyboardFocus; display: builtin> -> <pid: 12862; token: 0x16CDB680> reason: "11036-deferDiscrete: Key Window event focus deferral"	
]	
default	08:38:25.138463	SpringBoard lock/volume priority is:volume	
default	08:38:25.139472	mediaserverd -CMSessionMgr- CMSessionMgrHandleApplicationStateChange: Client uk.co.dcsldt.remote with pid '21838' is now Terminated. Background entitlement: NO ActiveLongFormVideoSession: NO WhitelistedLongFormVideoApp NO	
default	08:38:25.139844	SpringBoard reconfigured lock button: <SBMutableHardwareButtonGestureParameters: 0x283e89200; maximumPressCount: 1; longPressTimeInterval: 2.50s; multiplePressTimeInterval: 0.30s>	
default	08:38:25.139885	SpringBoard lock/volume priority is:volume	
default	08:38:25.140014	SpringBoard Application process state changed for uk.co.dcsldt.remote: (null)	
default	08:38:25.142435	backboardd Lcurrent=105.7788 Lr=0.1309 DR=200.0000 factor=0.0000	
default	08:38:25.145629	backboardd new resolutions for pid:12862 {	
		<=>display: builtin; environment: keyboardFocus; pid: 12862; token: 0x16CDB680>.	
		<=>display: null; environment: system; pid: 12862; token: 0xF7F497E1>.	
		<=>display: builtin; environment: cameraButton; pid: 12862>	
		}	
default	08:38:25.147682	SpringBoard Activating wallpaper orientation source SBUController	
default	08:38:25.147768	SpringBoard Not animating wallpaper orientation to portrait (1) in 0.00 because it's already in that orientation	
default	08:38:25.155097	SpringBoard SBIdleTimerGlobalCoordinator - _setIdleTimerWithDescriptor: <SBIdleTimerDescriptor: 0x28032850; timerMode: Automatic; quickUnwarnInterval: 42.0s; warnInterval: 40.0s; totalInterval: 60.0s> reason:"SBAppDidEnterBackground"	
default	08:38:25.155235	SpringBoard 0x2831de940 reconfigured attention timeouts: {	
		<TIDleTimeout: 0x282d6c50; identifier: 1; duration: 40.0s>.	
		<TIDleTimeout: 0x282d6ce0; identifier: 2; duration: 42.0s>.	
		<TIDleTimeout: 0x282d6f00; identifier: 3; duration: 60.0s>	
		}	
default	08:38:25.155566	backboardd RemoteClient.m:603 : 313254.78150: Info: reset attention lost timeout for com.apple.springboard.GlobalBacklightIdleTimer at 313254.78149	
default	08:38:25.155666	backboardd RemoteClient.m:334 : 313254.78160: Info: updated config <AWRemoteClient: 0x10b109d0> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 40, 42, 60 notificationMask NONE mask AttentionLost[Button Keyboard Digitizer Pointer GameController MesaTouch Gen	
default	08:38:25.155766	SpringBoard <0x2831dc880> - reconfigure attention client with configuration:<AWAttentionAwarenessConfiguration: 0x2803ad9d0> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 42.00000, 40.00000, 60.00000 notificationMask NONE mask Button Keyboard Digitizer P	
default	08:38:25.157771	backboardd Setting minimum brightness level: 0.00000 with fade duration 0.400000	
default	08:38:25.157915	backboardd Set BrightnessSystem property:DisplayBrightnessFadePeriod to:0.4	
default	08:38:25.159328	backboardd Set BrightnessSystem property:BrightnessMinPhysicalWithFade to:0	
default	08:38:25.159661	SpringBoard SBMainWorkspaceApplicationSceneLayoutElementViewController-sceneID:uk.co.dcsldt.remote-default will begin transition to visible NO	
default	08:38:25.159715	SpringBoard Deactivating wallpaper orientation source ActiveOrientation	
default	08:38:25.166658	backboardd Lcurrent=105.7788 Lr=0.1310 DR=200.0000 factor=0.0000	
default	08:38:25.167022	SpringBoard Begin requiring home screen content for reason 'SBUHomeScreenActiveContentRequirementReason'	
default	08:38:25.167075	SpringBoard Attempting restoreContentWithOptions:(SBUControllerRequireContentOptions none)	

default	08:38:25.167371 mediaservd	<<<< FigCaptureDisplayLayoutMonitor >>>> -[FigCaptureDisplayLayoutMonitor _updateCurrentLayout]: <FBSDisplayLayout: 0x1414b0900, displayIdentify: Main> { bounds = {{0, 0}, (375, 667)}; interfaceOrientation = "portrait (1)"; backlightLevel = 100; elements = { <SBSDisplayLayoutElement: 0x141480d30, identifier: com.apple.springboard.home-screen, frame: {{0, 0}, (3
default	08:38:25.167894 SpringBoard	Restoring home screen
default	08:38:25.168098 SpringBoard	Setting _iconsView to visible
default	08:38:25.168338 SpringBoard	<SBHWidgetStackViewController:0x1018a0000> -[SBHWidgetStackViewController viewWillAppear:]
default	08:38:25.168391 SpringBoard	<SBHMultiplexingManager:0x283e4f040> creating new multiplexing view controller controller <SBHMultiplexingViewController:0x10cfdc7c0> for 210DA6BF-4557-4244-8291-05DA55FF2125 at level: 0
default	08:38:25.168434 SpringBoard	<SBHMultiplexingManager:0x283e4f040> active view controller changed NONE to <SBHMultiplexingViewController:0x10cfdc7c0> for 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:25.168567 SpringBoard	<SBHMultiplexingManager:0x283e4f040> Reusing recent view controller for identifier: 210DA6BF-4557-4244-8291-05DA55FF2125
default	08:38:25.168670 SpringBoard	<SBHMultiplexingViewController:0x10cfdc7c0> -[SBHMultiplexingViewController activateWithViewController:] <CHUISAvocadoHostViewController:0x1020997a0>
default	08:38:25.169320 CommCenter	#! FBSDisplayLayoutUpdateHandler: update start
default	08:38:25.169397 kernel	LQM-WiFi recovery: isIshomeScreen:1 isLatencySensitiveAppActive:0
default	08:38:25.170405 wifid	<private>
default	08:38:25.170460 CommCenter	#! ActivationObserver: notifyAboutFrontAppChange : app: <private>; pid: 0; net: 0
default	08:38:25.171180 SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene lifecycle state did change: Foreground
default	08:38:25.171332 SpringBoard	[daemon<com.apple.chronod>-12859] Setting process visibility to: Foreground
default	08:38:25.171476 SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Scene assertion state did change: ForegroundActive.
default	08:38:25.171793 SpringBoard	[daemon<com.apple.chronod>-12859] Workspace assertion state did change: ForegroundActive (acquireAssertion = YES).
default	08:38:25.172258 runningboardd	Acquiring assertion targeting [daemon<com.apple.chronod>-12859] from originator [daemon<com.apple.SpringBoard>-12862] with description <RBSAssertionDescriptor "FBWorkspace (ForegroundActive)" ID:34-12862-387231 target:12859 attributes: { <RBSRunningReasonAttribute runningReason:10000>, <RBSDefineRelativeStartTimeGrant>, <RBSGPUAccessGrant>, <RBSCPUAccessGrant role:UserInteractiveNonFocal>, <RBSJetsamPriorityGrant priority:Foreground>, <RBSResistTerminationGrant terminationResistance:Interactive>, <RBSEndowmentGrant namespace:com.apple.frontboard.visibility>, <RBSAcquisitionCompletionAttribute policy:AfterApplication> }>
default	08:38:25.172310 runningboardd	Assertion 34-12862-387231 (target[daemon<com.apple.chronod>-12859]) will be created as active
error	08:38:25.172937 runningboardd	RBSStateCapture remove item called for untracked item <RBProcessMonitorObserver qos:0 qos:(null) configs: { }>
default	08:38:25.173287 SpringBoard	[0x1020997a0-210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Updating touch delivery policies for layers: <private>
default	08:38:25.173331 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring jetsam update because this process is not memory-managed
default	08:38:25.173372 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring suspend because this process is not lifecycle managed
default	08:38:25.173413 SpringBoard	viewWillAppear:SBHWidgetStackViewController
default	08:38:25.173453 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring role changes because this process is not role managed
default	08:38:25.173658 SpringBoard	[210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Sending scene action [Logical Activate][0x45c4] to process 0x100c2f20
default	08:38:25.173820 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring GPU update because this process is not GPU managed
default	08:38:25.174626 runningboardd	Finished acquiring assertion 34-12862-387231 (target:[daemon<com.apple.chronod>-12859])
default	08:38:25.174870 runningboardd	Acquiring assertion targeting [daemon<com.apple.chronod>-12859][UIScene.com.apple.frontboard.systemappservices:210DA6BF-4557-4244-8291-05DA55FF2125%3A%3A0x1020997a0] from originator [daemon<com.apple.SpringBoard>-12862] with description <RBSAssertionDescriptor "injecting inherited from "UIScene.com.apple.frontboard.systemappservices:com.apple.springboard-> <RBSHereditaryGrant endowmentNamespace:com.apple.boardservices.endpoint-injection UIScene.com.apple.frontboard.systemappservices:com.apple.springboard>, <RBSHereditaryGrant endowmentNamespace:com.apple.frontboard.visibility UIScene.com.apple.frontboard.systemappservices:com.apple.springboard> }>
default	08:38:25.174988 SpringBoard	No intent configuration data found stored for data source: <private>
default	08:38:25.175032 runningboardd	Assertion 34-12862-387232 (target[daemon<com.apple.chronod>-12859][UIScene.com.apple.frontboard.systemappservices:210DA6BF-4557-4244-8291-05DA55FF2125%3A%3A0x1020997a0]) will be created as active
default	08:38:25.175632 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring jetsam update because this process is not memory-managed
default	08:38:25.175756 chronod	[com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] Scene for widget will enter foreground
default	08:38:25.176273 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring suspend because this process is not lifecycle managed
default	08:38:25.176569 runningboardd	[daemon<com.apple.chronod>-12859] Ignoring role changes because this process is not role managed
default	08:38:25.176762 chronod	["msg":"CLLocationManager", "event": "activity", "_cmd": "onDidBecomeActive.", "self": "0x123f2bab0", "notification": <private>]
default	08:38:25.176883 chronod	["msg":"CLLocationManager", "event": "activity", "_cmd": "onDidBecomeActive.", "self": "0x123f1a90", "notification": <private>]
default	08:38:25.176978 SpringBoard	Starting device motion, mode=0x22, useAccelerometer=0, useGyro=1, useCompass=0, useNorthRef=0, buildingGYTT=0 Lcurrent=105.7788 Lr=0.1311 DR=200.0000 factor=0.0000
default	08:38:25.177184 backboardd	#! FBSDisplayLayoutUpdateHandler: 5. app got notification state: new counter=12549
default	08:38:25.177410 CommCenter	0x1000004c8: set report interval:1000000 client:1608CBEC-34B8-4AE0-8AAA-2DE7A627C634
default	08:38:25.177599 wifid	<private>
default	08:38:25.177657 CommCenter	#! <private> request: <private>, expects reply.
default	08:38:25.177767 wifid	<private>
default	08:38:25.178022 SpringBoard	<SBHWidgetStackViewController:0x1018a0000> -[SBHWidgetStackViewController viewDidAppear:]
default	08:38:25.178169 SpringBoard	[CLLocationInterface] Property for usage pair (65280, 9): (GyroProperties = { GyroFactoryMode = 0; GyroMeasurementRange = 2000; GyroXAxisOffset = 0; GyroYAxisOffset = 0; GyroZAxisOffset = 0; }) was set successfully
default	08:38:25.178222 wifid	<private>
default	08:38:25.178267 wifid	<private>
default	08:38:25.178307 wifid	<private>
default	08:38:25.178347 wifid	<private>
default	08:38:25.178528 SpringBoard	viewDidAppear:SBHWidgetStackViewController
default	08:38:25.178574 SpringBoard	[CLLocationInterface] Property for usage pair (65280, 9): (ReportInterval = 1000000) was set successfully
default	08:38:25.178658 SpringBoard	[CLLocationInterface] Property for usage pair (65280, 9): (GyroExtLevelTriggerSync = 0) was set successfully
default	08:38:25.178790 SpringBoard	Activating wallpaper orientation source SBUIController
default	08:38:25.178957 SpringBoard	[CLLocationInterface] Property for usage pair (65280, 9): (BatchInterval = 15000) was set successfully
default	08:38:25.179330 backboardd	0x1000004c8: set batch interval:15000 client:1608CBEC-34B8-4AE0-8AAA-2DE7A627C634
default	08:38:25.179660 wifid	<private>
default	08:38:25.179704 wifid	<private>
default	08:38:25.179890 wifid	<private>
default	08:38:25.180089 chronod	["msg":"CLLocationManager", "event": "activity", "_cmd": "onDidBecomeActive.", "self": "0x123fb6d30", "notification": <private>]
default	08:38:25.180461 CommCenter	#! <private> reply to request "private".
default	08:38:25.180557 backboardd	0x1000004c8: set report interval:5000 client:1608CBEC-34B8-4AE0-8AAA-2DE7A627C634
default	08:38:25.180599 SpringBoard	SBMainWorkspaceApplicationSceneLayoutElementViewController-sceneId.uk.co.dcsiltd.remote-default did end transition to visible NO
default	08:38:25.180695 SpringBoard	[CLLocationInterface] Property for usage pair (65280, 9): (GyroProperties = {


```
default 08:38:25.206852 backboardd new deferring rules for pid:12862: [
<environment: system> -> <pid: 12862, token: 0xF7F497E1> reason: "1-deferDiscrete: systemGestures",
<environment: keyboardFocus; display: builtin> -> <pid: 12862, token: 0x16CDB680> reason: "11036-deferDiscrete: Key Window event focus deferral",
<environment: keyboardFocus; display: builtin> -> <pid: 12862, token: 0xCD157492> reason: "11041-deferDiscrete: Key Window event focus deferral"
]
default 08:38:25.208174 backboardd Lcurrent=105.7788 Lr=0.1313 DR=200.0000 factor=0.0000
default 08:38:25.208985 runningboardd Invalidating assertion 34-12862-387225 (target[daemon<com.apple.SpringBoard>-12862][UIScene.com.apple.frontboard.systemappservices:com.apple.springboard]) from originator [daemon<com.apple.SpringBoard>-12862]
default 08:38:25.211377 SpringBoard Front display did change: (null)
default 08:38:25.211607 SpringBoard 0x2831de940 reconfigured attention timeouts: {
<TIdleTimeout: 0x282d7e4c0, identifier: 1, duration: 20.0s>,
<TIdleTimeout: 0x282d7c100, identifier: 2, duration: 22.0s>,
<TIdleTimeout: 0x282d7040, identifier: 3, duration: 30.0s>
}
default 08:38:25.212090 backboardd RemoteClient.m:603 : 313254.84236 Info: reset attention lost timeout for com.apple.springboard.GlobalBacklightIdleTimer at 313254.84235
default 08:38:25.212135 SpringBoard <0x2831dc880> - reconfigure attention client with configuration:<AWAttentionAwarenessConfiguration: 0x2803acbd0> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 30.00000, 22.00000, 20.00000 notificationMask NONE mask Button|Keyboard|Digitizer|P
default 08:38:25.212310 SpringBoard activity is unchanged, still disabled
default 08:38:25.212352 SpringBoard lock/volume priority is: volume
default 08:38:25.212449 backboardd RemoteClient.m:334 : 313254.84249 Info: updated config <AWRemoteClient: 0x1b0109dd0> (identifier: com.apple.springboard.GlobalBacklightIdleTimer samplingInterval: 0.00000 samplingDelay: 0.00000 sampleWhileAbsent: false attentionLostTimeouts: 20, 22, 30 notificationMask NONE mask AttentionLost|Button|Keyboard|Digitizer|Pointer|GameController|MesaTouch|Gene
default 08:38:25.212512 SpringBoard Begin requiring home screen content for reason 'SBUIScreenActiveContentRequirementReason'
default 08:38:25.230004 backboardd new resolutions for pid:12862 {
<display: builtin, environment: keyboardFocus; pid: 12862, token: 0xCD157492>,
<display: null, environment: system; pid: 12862, token: 0xF7F497E1>,
<display: builtin, environment: cameraButton; pid: 12862>
}
default 08:38:25.230172 ReportCrash osa_update: Pid 21838 'Runner' CORPSE: Symbolicating2
default 08:38:25.231461 ReportCrash <private>: [-private:] {}(null)
default 08:38:25.233043 SpringBoard No longer tracking: <FBScene: 0x281ca70d0, sceneID: sceneID.uk.co.dcsdtd.remote-default, valid: NO>
default 08:38:25.235898 SpringBoard [SBMainDisplaySceneManager sceneManager:didDestroyScene: <FBScene: 0x281ca70d0, sceneID: sceneID.uk.co.dcsdtd.remote-default, valid: NO>] - proposing IdleTimerBehavior.
default 08:38:25.237181 SpringBoard [0x1020997a0-210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Updating touch delivery policies for layers: <private>
default 08:38:25.237228 SpringBoard [0x1020997a0-210DA6BF-4557-4244-8291-05DA55FF2125:0x1020997a0] Saving touch policy assertion <private> for context id 3841764384
default 08:38:25.241431 backboardd Lcurrent=105.7788 Lr=0.1314 DR=200.0000 factor=0.0000
default 08:38:25.243317 chronod [com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] Widget disableAnimations changed to: false
default 08:38:25.246263 locationd [{"msg": "MCLUIA Marking change", "clientKey": "uk.co.dcsdtd.remote", "reason": "Process state from RunningMidi", "assertionLevel": 5, "coming": 0}
default 08:38:25.246401 chronod [com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] Widget visibility changed to: true
default 08:38:25.246444 chronod [com.apple.Music.MusicWidgets-05DA55FF2125:0x1020997a0] Effective widget visibility changed to: true
default 08:38:25.247539 SpringBoard No intent configuration data found stored for data source: <private>
default 08:38:25.247687 SpringBoard [-ATXHomeScreenSuggestionClient logStackDidAppear:topWidget:prediction:1_block_invoke: stackID: CC3A66CC-4897-4C53-8A96-4583DC61D128 (widgetID 210DA6BF-4557-4244-8291-05DA55FF2125) stackLocation: ATXStackLayoutLocationHomeScreenPage3 stackKind: ATXStackLayoutKindPinnedWidget topWidget: <private>
default 08:38:25.247734 SpringBoard RAS: [-ATXWidgetDwellTracker widgetDidAppear:date:]: widget: <private> (widgetID 210DA6BF-4557-4244-8291-05DA55FF2125)
default 08:38:25.252837 backboardd new deferring rules for pid:12862: [
<environment: system> -> <pid: 12862, token: 0xF7F497E1> reason: "1-deferDiscrete: systemGestures",
<environment: keyboardFocus; display: builtin> -> <pid: 12862, token: 0xCD157492> reason: "11041-deferDiscrete: Key Window event focus deferral"
]
default 08:38:25.257793 locationd [{"msg": "Background escalation manager permission changed", "from": "1", "to": "1}
default 08:38:25.260133 SpringBoard HW kbd: Failed to set keyboard focus pid:0 (null) scene:(null)
default 08:38:25.260363 backboardd Lcurrent=105.7788 Lr=0.1316 DR=200.0000 factor=0.0000
default 08:38:25.261973 accessoryd handling app state change notification {
ACCPatformApplicationStateDisplayIDKey = "uk.co.dcsdtd.remote";
ACCPatformApplicationStateKey = 1;
ACCPatformApplicationStateProcessIDKey = 21838;
}
default 08:38:25.262950 backboardd Lcurrent=105.7788 Lr=0.1317 DR=200.0000 factor=0.0000
default 08:38:25.263633 sharingd SystemUI changed: 0x0 -> 0x10
default 08:38:25.263973 sharingd SystemUI Changed 0x10 < Home >, CanTrigger yes
default 08:38:25.266657 contextstored CDUserContext: Remove object matching predicate <private> => <private>
default 08:38:25.267708 backboardd Lcurrent=105.7788 Lr=0.1318 DR=200.0000 factor=0.0000
default 08:38:25.278988 contextstored Received connection request for BMFileAccessService from pid 13795
default 08:38:25.280933 backboardd Lcurrent=105.7788 Lr=0.1319 DR=200.0000 factor=0.0000
default 08:38:25.296946 dmd Update foreground bundle identifiers
default 08:38:25.298131 dasd Trigger: <private> is now [-private:]
default 08:38:25.298324 backboardd Lcurrent=105.7788 Lr=0.1320 DR=200.0000 factor=0.0000
default 08:38:25.298534 dasd Foreground apps changed——<private>
default 08:38:25.310481 runningboardd Calculated state for daemon<com.apple.SpringBoard>-: running-active (role: UserInteractiveNonFocal)
default 08:38:25.312054 runningboardd [daemon<com.apple.SpringBoard>-12862] Ignoring jetsam update because this process is not memory-managed
default 08:38:25.312151 runningboardd [daemon<com.apple.SpringBoard>-12862] Ignoring suspend because this process is not lifecycle managed
default 08:38:25.312247 runningboardd [daemon<com.apple.SpringBoard>-12862] Ignoring GPU update because this process is not GPU managed
default 08:38:25.313048 homed Received app state change: <RBSPProcessStateUpdate> process:[daemon<com.apple.SpringBoard>-12862] oldState:<RBSPProcessState> [task:running-active debug:none endowments:
com.apple.frontboard.visibility
] rbAssertions: {
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"injecting inherited from "UIScene.com.apple.frontboard.systemappservices:com.apple.springboard" to 12862-UIScene.com.apple.frontboard.systemappservices:com.apple.springboard">,
<RBSPProcessAssertionInfo type:2 reason:0 name:"Domain" domain:"com.apple.underlying.UnderlyingDarwinRoleUI" expl:"RB Underlying Assertion">,
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"injecting inherited from "UIRootWindow.0x100c13df0" to 12862-UIScene.com.apple.frontboard.systemappservices:com.apple.springboard">,
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"injecting "com.apple.CarPlay-non-launching" "com.apple.frontboard.workspace-service" to 12862<com.apple.frontboard.workspace">,
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"creating 12862-UIRootWindow.0x100c13df0" visibility">,
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"FBSystemApp-PreventIdleSleep">,
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"creating 12862-UIRootWindow.0x102007960" visibility">,
<RBSPProcessAssertionInfo type:1 reason:10005 name:"Custom" domain:"(null)" expl:"FBSystemShell">
}> newState:<RBSPProcessState> [task:running-active debug:none endowments:
com.apple.frontboard.visibility
] rbAssertions: {
<RBSPProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"creating 12862-UIRootWindow.0x100c13df0" visibility">,
<RBSPProcessAssertionInfo type:2 reason:0 name:"Domain" domain:"com.apple.underlying.UnderlyingDarwinRoleUI" expl:"RB Underlying Assertion">,
<RBSPProcessAssertionInfo type:1 reason:10005 name:"Custom" domain:"(null)" expl:"FBSystemShell">,
}
```

```

<RBSProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"FBSystemApp-PreventIdleSleep">
<RBSProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"injecting inherited from "UIRootWindow.0x100c13d0" to 12862-UIScene:com.apple.frontboard.systemappservices:com.apple.springboard">
<RBSProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"injecting "com.apple.CarPlay.non-launching" to 12862-com.apple.frontboard.workspace-service" to 12862-com.apple.frontboard.workspace">
<RBSProcessAssertionInfo type:1 reason:0 name:"Custom" domain:"(null)" expl:"creating 12862-UIRootWindow.0x102007960 visibility">
> exitEvent:(null)>
default 08:38:25.314672 homed <HMDProcessInfo, Identifier: 12862, Name: SpringBoard, Application Identifier: com.apple.springboard, State: foreground, Monitored: YES, Application: <_HMDApplicationInfo, Bundle Identifier: com.apple.springboard, Vendor Identifier: <[36] (length = 8, bytes = 0x3239453141414543) ... (length = 8, bytes = 0x3345394446463939)>>, Connections: (<HMDXPCClientConnection, Name: SpringBoard, Entitlements: com.apple.developer.homekit>
)> back into foreground
default 08:38:25.314952 homed Processing change of state for <HMDProcessInfo, Identifier: 12862, Name: SpringBoard, Application Identifier: com.apple.springboard, State: foreground, Monitored: YES, Application: <_HMDApplicationInfo, Bundle Identifier: com.apple.springboard, Vendor Identifier: <[36] (length = 8, bytes = 0x3239453141414543) ... (length = 8, bytes = 0x3345394446463939)>>, Connections: (<HMDXPCClientConnection, Name: SpringBoard, Entitlements: com.apple.developer.homekit>
)>
default 08:38:25.315016 backboardd Lcurrent=105.7788 Lr=0.1321 DR=200.0000 factor=0.0000
default 08:38:25.330898 backboardd Lcurrent=105.7788 Lr=0.1322 DR=200.0000 factor=0.0000
default 08:38:25.348171 backboardd Lcurrent=105.7788 Lr=0.1323 DR=200.0000 factor=0.0000
default 08:38:25.361253 symptomsd uk.co.dcsldt.remote: Foreground: false
default 08:38:25.363913 symptomsd call_saveAndUnloadSelectState on uk.co.dcsldt.remote exiting foreground state
default 08:38:25.364998 backboardd Lcurrent=105.7788 Lr=0.1324 DR=200.0000 factor=0.0000
default 08:38:25.381712 backboardd Lcurrent=105.7788 Lr=0.1325 DR=200.0000 factor=0.0000
default 08:38:25.383537 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120062736/3931167, WiFi delta_in/delta_out: 431/219, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.396873 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120063794/3931893, WiFi delta_in/delta_out: 1058/726, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.398307 backboardd Lcurrent=105.7788 Lr=0.1326 DR=200.0000 factor=0.0000
default 08:38:25.399106 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120064716/3932740, WiFi delta_in/delta_out: 922/847, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.400872 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120066440/3933244, WiFi delta_in/delta_out: 1724/504, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.402950 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120066994/3933754, WiFi delta_in/delta_out: 554/510, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.405723 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120077998/3942919, WiFi delta_in/delta_out: 11004/9165, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.410287 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120078294/3943169, WiFi delta_in/delta_out: 296/250, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.413092 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120087227/3944193, WiFi delta_in/delta_out: 8933/1024, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.414776 backboardd Lcurrent=105.7788 Lr=0.1327 DR=200.0000 factor=0.0000
default 08:38:25.416149 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120088157/3945042, WiFi delta_in/delta_out: 930/849, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.419588 symptomsd Data Usage for uk.co.dcsldt.remote - WiFi in/out: 120089996/3946582, WiFi delta_in/delta_out: 1839/1540, Cell in/out: 0/0, Cell delta_in/delta_out: 0/0, RNF: 0, subscriber tag: 0
default 08:38:25.423818 analyticsd [TransformManager:checkpoint] 13 transforms persisted. 0 failures.
default 08:38:25.431426 backboardd Lcurrent=105.7788 Lr=0.1328 DR=200.0000 factor=0.0000
default 08:38:25.447723 remotemanagem Started persistent history notifier (0x100607e0).
default 08:38:25.448320 backboardd Lcurrent=105.7788 Lr=0.1330 DR=200.0000 factor=0.0000
default 08:38:25.449782 remotemanagem Initializing APSConnection <private>: env=development port=com.apple.apns.remotemanagementd.http.apns-dev queue=<private>
default 08:38:25.450807 remotemanagem <private> setting delegate <private>
default 08:38:25.450907 remotemanagem <private> creating an xpc connection
default 08:38:25.452505 apsd SetupConnection: env=<private> portName=<private>
default 08:38:25.452632 apsd Found existing connection <private> for port name: <private>
default 08:38:25.452765 apsd Setting connection <private> on peer: <xpc object>
default 08:38:25.452813 apsd Replacing xpc conn (null) with <xpc object> for <private> (<private>)
default 08:38:25.452963 apsd copyTokenForDomain sandbox.push.apple.com (null)
default 08:38:25.456645 apsd <private> <private> has established new xpc connection <xpc object>
default 08:38:25.456975 apsd Dispatching high priority message on server: <private>
default 08:38:25.461519 remotemanagem <private> _setEnabledCriticalReliability NO sendToDaemon NO
default 08:38:25.461645 remotemanagem <private> _setUsesAppLaunchStats NO sendToDaemon NO
default 08:38:25.461694 remotemanagem <private> _setEnabledStatusNotifications NO sendToDaemon NO
default 08:38:25.461738 remotemanagem <private> setMessageSize: 0
default 08:38:25.461929 remotemanagem <private> setLargeMessageSize: 0
default 08:38:25.461967 remotemanagem <private> Delivering did reconnect apsd
default 08:38:25.462042 remotemanagem <private> queuing call to delegate to tolerate setDelegate race
default 08:38:25.462084 remotemanagem <private> Delivering publicToken from apsd: (null)
default 08:38:25.462148 remotemanagem <private> Delivering connectionStatusChange from apsd: NO
default 08:38:25.462251 remotemanagem <private> Delivering queued delegate calls: 1
default 08:38:25.462362 remotemanagem <private> _setEnabledStatusNotifications NO sendToDaemon YES
default 08:38:25.462556 remotemanagem Initializing APSConnection <private>: env=production port=com.apple.apns.remotemanagementd.http.apns-prod queue=<private>
default 08:38:25.462602 remotemanagem <private> Async Delivering publicToken from apsd: (null)
default 08:38:25.462644 remotemanagem <private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: NO completion: (null)
default 08:38:25.462750 remotemanagem <private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default 08:38:25.462855 remotemanagem <private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: YES completion: (null)
default 08:38:25.462931 remotemanagem <private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default 08:38:25.463070 remotemanagem <private> setting delegate <private>
default 08:38:25.463160 remotemanagem <private> Delivering publicToken from apsd: (null)
default 08:38:25.463216 apsd Looking up connection on peer: 15e523f0 found <private>
default 08:38:25.463374 remotemanagem <private> creating an xpc connection
default 08:38:25.463594 apsd Unrecognized token received from <private>
default 08:38:25.463725 remotemanagem <private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: NO completion: (null)
default 08:38:25.463773 remotemanagem <private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default 08:38:25.464450 apsd SetupConnection: env=<private> portName=<private>
default 08:38:25.464496 apsd Found existing connection <private> for port name: <private>
default 08:38:25.464537 apsd Setting connection <private> on peer: <xpc object>
default 08:38:25.464579 apsd Replacing xpc conn (null) with <xpc object> for <private> (<private>)
default 08:38:25.464659 apsd <private> <private> has established new xpc connection <xpc object>
default 08:38:25.464878 remotemanagem <private> _setEnabledCriticalReliability NO sendToDaemon NO
default 08:38:25.464950 backboardd Lcurrent=105.7788 Lr=0.1331 DR=200.0000 factor=0.0000
default 08:38:25.465044 remotemanagem <private> _setUsesAppLaunchStats NO sendToDaemon NO
default 08:38:25.465160 remotemanagem <private> _setEnabledStatusNotifications NO sendToDaemon NO
default 08:38:25.465205 remotemanagem <private> setMessageSize: 5120
default 08:38:25.465245 remotemanagem <private> setLargeMessageSize: 51200
default 08:38:25.465283 remotemanagem <private> Delivering did reconnect apsd
default 08:38:25.465321 remotemanagem <private> queuing call to delegate to tolerate setDelegate race
default 08:38:25.465492 remotemanagem <private> Delivering publicToken from apsd: <private>

```

default	08:38:25.465739	remotemanagem	<private> queuing call to delegate to tolerate setDelegate race
default	08:38:25.465789	remotemanagem	<private> Delivering connectionStatusChange from apsd: YES
default	08:38:25.465892	remotemanagem	<private> Delivering queued delegate calls: 2
default	08:38:25.465941	remotemanagem	<private> _setEnabledStatusNotifications NO sendToDaemon YES
default	08:38:25.466092	remotemanagem	<private> calling <private> didReceivePublicToken:
default	08:38:25.466141	remotemanagem	<private> asked for publicToken, got (null)
default	08:38:25.466183	remotemanagem	<private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: NO completion: (null)
default	08:38:25.466335	remotemanagem	<private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default	08:38:25.466385	remotemanagem	<private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: YES completion: (null)
default	08:38:25.466425	remotemanagem	<private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default	08:38:25.466586	remotemanagem	<private> asked for publicToken, got <private>
default	08:38:25.466644	apsd	Looking up connection on peer: 15e6f840 found <private>
default	08:38:25.466899	remotemanagem	<private> setEnabledTopics <private> ignoredTopics <private> opportunisticTopics <private> nonWakingTopics <private> sendToDaemon: NO completion: (null)
default	08:38:25.466945	remotemanagem	<private> got all nil topics, considering this as a change to flush any cached topics in apsd for named ports.
default	08:38:25.467196	remotemanagem	Push token received: (length = 32, bytes = 0x07e0a1b0 023820e0 c978f9ad c97b0688 ... 051e85be 8ab2da30) in environment: production
default	08:38:25.467245	remotemanagem	<private> asked for publicToken, got (null)
default	08:38:25.467499	remotemanagem	<private> asked for publicToken, got <private>
default	08:38:25.467607	remotemanagem	<private> returned from <private> didReceivePublicToken:
default	08:38:25.481733	backboardd	Lcurrent=105.7788 Lr=0.1332 DR=200.0000 factor=0.0000
default	08:38:25.485190	symptomsd	NBSM: TCP metrics iteration:1011 since 30.00 secs: allflows=1/C=0/R=0/W=0/unacked=0/rxbytes=0/txooos=0/xdup=0/retx=0
default	08:38:25.485528	symptomsd	NBSM: TCP progress metrics score: 0, problem ratio: 0.00 (baseline: 0.00)
default	08:38:25.498414	backboardd	Lcurrent=105.7788 Lr=0.1333 DR=200.0000 factor=0.0000
default	08:38:25.514358	backboardd	Lcurrent=105.7788 Lr=0.1334 DR=200.0000 factor=0.0000
default	08:38:25.531776	backboardd	Lcurrent=105.7788 Lr=0.1335 DR=200.0000 factor=0.0000
default	08:38:25.541216	ReportCrash	osa_update: Pid 21838 'Runner' CORPSE: Capture Complete
default	08:38:25.541397	ReportCrash	Formulating fatal report for corpse[21838] Runner
default	08:38:25.547001	ReportCrash	loading MetricKitSource
default	08:38:25.548324	backboardd	Lcurrent=105.7788 Lr=0.1336 DR=200.0000 factor=0.0000
default	08:38:25.549725	ReportCrash	MK: <private> isn't a client
default	08:38:25.552274	kernel	Sandbox: container_inspect_for_proc(): no user state for pid: 21842.
default	08:38:25.552325	kernel	Sandbox: container_inspect_for_proc(): no user state for pid: 21842.
default	08:38:25.552490	ReportMemoryEi	containermanager_sandbox_iterate_containers: 2
default	08:38:25.552627	ReportMemoryEi	containermanager_sandbox_iterate_containers: 2
default	08:38:25.558456	SpringBoard	[CLOHidInterface] Property for usage pair (65280, 9): (GyroProperties = { GyroFactoryMode = 0; GyroMeasurementRange = 2000; GyroXAxisOffset = 0; GyroYAxisOffset = 0; GyroZAxisOffset = 0; }) was set successfully
default	08:38:25.558927	backboardd	0x1000004c8: set report interval:1000000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:25.559439	SpringBoard	[CLOHidInterface] Property for usage pair (65280, 9): (ReportInterval = 1000000) was set successfully
default	08:38:25.560188	SpringBoard	[CLOHidInterface] Property for usage pair (65280, 9): (GyroExLevelTriggerSync = 0) was set successfully
default	08:38:25.560411	SpringBoard	[CLOHidInterface] Property for usage pair (65280, 9): (BatchInterval = 15000) was set successfully
default	08:38:25.560674	backboardd	0x1000004c8: set batch interval:15000 client:1608CBEC-34B8-4AE0-8AA4-2DE7A627C634
default	08:38:25.560994	containermanag	Using container from Sandbox.kext cache: <MCMContainerIdentity: 0x104c12710; userIdentity = <0/0~/~/3/0>; identifier = <----->; class = 13, platform = 0, transient = D>
default	08:38:25.561099	containermanag	stat [<private>]: exists: 1, isDirectory: 0, fsNode: <----->
default	08:38:25.561947	containermanag	Using container from Sandbox.kext cache: <MCMContainerIdentity: 0x104c12710; userIdentity = <0/0~/~/3/0>; identifier = <----->; class = 13, platform = 0, transient = D>
default	08:38:25.562048	containermanag	stat [<private>]: exists: 1, isDirectory: 0, fsNode: <----->
default	08:38:25.562160	containermanag	[0] command=17, client=<----->, u=<501/501~/~/2/1000>; uid=269, pid=21842, sandboxed=0, platform=2>; error=(none)
default	08:38:25.562634	ReportMemoryEi	container_system_group_path_for_identifier: success
default	08:38:25.564477	containermanag	Using container from Sandbox.kext cache: <MCMContainerIdentity: 0x108088410; userIdentity = <0/0~/~/3/0>; identifier = <----->; class = 13, platform = 0, transient = D>
default	08:38:25.564519	containermanag	stat [<private>]: exists: 1, isDirectory: 0, fsNode: <----->
default	08:38:25.564961	backboardd	Lcurrent=105.7788 Lr=0.1337 DR=200.0000 factor=0.0000
default	08:38:25.565612	containermanag	Using container from Sandbox.kext cache: <MCMContainerIdentity: 0x104d0ddd0; userIdentity = <0/0~/~/3/0>; identifier = <----->; class = 13, platform = 0, transient = D>
default	08:38:25.565716	containermanag	stat [<private>]: exists: 1, isDirectory: 0, fsNode: <----->
default	08:38:25.565831	containermanag	[0] command=17, client=<----->, u=<501/501~/~/2/1000>; uid=269, pid=21842, sandboxed=0, platform=2>; error=(none)
default	08:38:25.566258	ReportMemoryEi	container_system_group_path_for_identifier: success
default	08:38:25.567341	ReportMemoryEi	kExcludedFromBackupXattrName set on path: <private>
default	08:38:25.569291	ReportMemoryEi	Registered: com.apple.ReportMemoryException.CacheDelete, result: 0
default	08:38:25.581117	ReportCrash	report not saved because it is non-actionable (ie: extension hangs or internal-only)
default	08:38:25.581711	backboardd	Lcurrent=105.7788 Lr=0.1338 DR=200.0000 factor=0.0000
default	08:38:25.589961	ReportMemoryEi	container_system_group_path_for_identifier: success
default	08:38:25.590526	ReportMemoryEi	Got system group container path from MCM for systemgroup.com.apple.configurationprofiles: /private/var/containers/Shared/SystemGroup/systemgroup.com.apple.configurationprofiles
default	08:38:25.598533	backboardd	Lcurrent=105.7788 Lr=0.1339 DR=200.0000 factor=0.0000
default	08:38:25.615639	backboardd	Lcurrent=105.7788 Lr=0.1340 DR=200.0000 factor=0.0000
default	08:38:25.631566	backboardd	Lcurrent=105.7788 Lr=0.1341 DR=200.0000 factor=0.0000
default	08:38:25.645196	kernel	LQM-WiFi:TX(5C:49:79:7A:9B:33) AC<SU MS NB NRS NA CM EX TF FFP MRET FLE> BE<342 0 0 0 0 0 0 0 0> (5001ms)
default	08:38:25.645432	kernel	LQM-WiFi:TX(5C:49:79:7A:9B:33) AC<SU MS NB NRS NA CM EX TF FFP MRET FLE> BK<5700 0 0 0 0 0 0 0 0> (5001ms)
default	08:38:25.645481	kernel	LQM-WiFi:TX(5C:49:79:7A:9B:33) AC<SU MS NB NRS NA CM EX TF FFP MRET FLE> VI<0 0 0 0 0 0 0 0 0 0> (5001ms)
default	08:38:25.645521	kernel	LQM-WiFi:TX(5C:49:79:7A:9B:33) AC<SU MS NB NRS NA CM EX TF FFP MRET FLE> VO<2 0 0 0 0 0 0 0 0 0> (5001ms)
default	08:38:25.645642	kernel	LQM-WiFi:L3 Control VO TX(5C:49:79:7A:9B:33) Success=2 NoACK=0 Expired=0 OtherErr=0
default	08:38:25.645695	kernel	LQM-WiFi:TX(FF:FF:FF:FF:FF:FF) AC<SU MS NB NRS NA CM EX TF FFP MRET FLE> BE<0 0 0 0 0 0 0 0 0 0> (5001ms)
default	08:38:25.646287	wifid	<private>
default	08:38:25.648585	backboardd	Lcurrent=105.7788 Lr=0.1343 DR=200.0000 factor=0.0000
default	08:38:25.665153	backboardd	Lcurrent=105.7788 Lr=0.1344 DR=200.0000 factor=0.0000
default	08:38:25.681907	backboardd	Lcurrent=105.7788 Lr=0.1345 DR=200.0000 factor=0.0000
default	08:38:25.698403	backboardd	Lcurrent=105.7788 Lr=0.1346 DR=200.0000 factor=0.0000
default	08:38:25.715122	backboardd	Lcurrent=105.7788 Lr=0.1347 DR=200.0000 factor=0.0000
default	08:38:25.731795	backboardd	Lcurrent=105.7788 Lr=0.1348 DR=200.0000 factor=0.0000
default	08:38:25.747804	backboardd	Lcurrent=105.7788 Lr=0.1349 DR=200.0000 factor=0.0000
default	08:38:25.760891	SpringBoard	[CLOHidInterface] Property for usage pair (65280, 9): (GyroProperties = {

